

## Product datasheet for **MC229190**

### Ano6 (NM\_001253813) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ano6 (NM_001253813) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Ano6
Synonyms:	2900059G15Rik; AA407480; AW554778; F730003B03Rik; Tmem16f
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-RsrII
ACCN:	NM_001253813
Insert Size:	2799 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
RefSeq:	<a href="#">NM_001253813.1</a> , <a href="#">NP_001240742.1</a>



[View online »](#)

RefSeq Size: 5725 bp

RefSeq ORF: 2799 bp

Locus ID: 105722

UniProt ID: [Q6P9J9](#)

Cytogenetics: 15 E3-F1

**Gene Summary:** Small-conductance calcium-activated nonselective cation (SCAN) channel which acts as a regulator of phospholipid scrambling in platelets, osteoblasts and fetal thymocytes. Phospholipid scrambling results in surface exposure of phosphatidylserine which in platelets is essential to trigger the clotting system whereas in osteoblasts is essential for the deposition of hydroxyapatite during bone mineralization. Has calcium-dependent phospholipid scramblase activity; scrambles phosphatidylserine, phosphatidylcholine and galactosylceramide. Can generate outwardly rectifying chloride channel currents in airway epithelial cells and Jurkat T lymphocytes.[UniProtKB/Swiss-Prot Function]  
Transcript Variant: This variant (1) encodes the longer isoform (1).