

Product datasheet for **MC229590**

Dapk1 (NM_029653) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Dapk1 (NM_029653) Mouse Untagged Clone
Tag: Tag Free
Symbol: Dapk1
Synonyms: D13Ucla1; DAP-Kinase
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC229590 representing NM_029653
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGACTGTGTTCCAGGCAGGAAAACGTGGACGACTACTACGACACCGGCGAGGAAGTGGCAGTGGACAGT
TCGCAGTTGTGAAGAAATGTCGTGAGAAAAGTACCGGTCTTCAGTATGCGGCCAAGTTCATCAAGAAAAG
GAGGACCAAGTCCAGCCGGCGGGCGGTGAGCCGGGAGGACATCGAGCGGGAGGTCAGCATCTGAAGGAG
ATCCGGCACCCAAATGTCATCACCTGCATGAGGTCTATGAGAACAAGACAGATGTCATTCTGATCCTGG
AGCTTGTGTCAGGAGGTGAGCTGTTGACTTCTGGCTGAGAAGGAATCTCTGACTGAAGAGGAGGCAAC
GGAATTCCTTAAGCAGATTCTCAGCGGCGTTTACTACCTGCACTCACTGCAGATCGCTCACTTTGACCTG
AAGCCGAAAACATAATGCTTCTGGATAGAAAATGTGCCAAACCTCGGATCAAGATCATAGACTTTGGCT
TGGCCATAAAATTGACTTTGGAAATGAATTCAAAACATATTTGGGACACCAGAGTTTGTGGCTCCGGA
GATAGTCAACTATGAGCCCTGGGTCTTGAGGCAGATATGTGGAGCATCGGGTAATAACCTATATCCTC
CTAAGTGGGGCCTCCCTTTTCTTGAGACACCAAGCAAGAAACATTAGCGAATGTGTCGCTGTCAACT
ACGACTTTGAGGAGGAATCTCCGGAACACCAAGTACCCTTGCCAAAGATTTTCATCAGAAGACTGCTGGT
CAAGGATCCAAAGAAGAGGATGACAATCCAGGACAGTTTGCAGCACCCCTGGATCAAGCCTAAAGACACC
CAACAAGCACTTAGTCGAAAAGCCTCAGCAGTAAACATGGAGAAATTCAGAAGTTTGCAGCTCGGAAAA
AATGGAACAATCTGTTGCTTGTATCACTGTGCCAAAGATTATCCAGGTCAATTTTGTCCAGAAGTAA
CATGAGTGTGCCAGGAGTGATGATACTCTGGATGAGGAAGACTCCTTTGTGATGAAAGCCATCATCCAT
GCCATCAATGATGACAACGTACCCGGCCTGCAGCATCTCCTGGGCTCCTTGTCCAGCTATGACGTCAACC
AGCCCAACAAGCATGGGACACCTCCATTACTGATTGCCGAGGCTGTGGCAACATCCAGATGTTACAGTT
ACTCATAAAACGAGGCTCAAGGATTGACGTCCAGGATAAGGGAGGATCCAATGCCATCTACTGGGCTCT
CGGCATGGCCATGTGGATACTTTGAAATTTCTCAATGAGAACAAATGCCCTTTGGATGTTAAAGACAAGT
CTGGAGAGACAGCTCTTACGTGGCAGCCGCTATGGCCATGCAGATGTGGTTCAACTACTGTGCAGTTT
TGGCTCTAATCCTGATTTCCAGGACAAGGAAGAGGAAACCCCTGCAGTGTGCTGCCTGGCATGGCTAT
TACTCCGTGGCTAAAGCTCTTTGTGAAGTTGGCTGCAACGTGAATATCAAGAATCGGGAGGGAGAGACCC



CATTGCTGACGGCGTCTGCCAGGGGCTATCATGACATTGTGGAGTGTCTGGCTGAACATGGAGCTGACT
 GAATGCTTCTGACAAGGATGGACACATCGCTCTTCATCTTGTGTGAGGCGTTGTGAGATGGAAGTCATC
 AAGACCTCCTTGGCCATGGGTCCTTTGTGGATTTCCAGGACAGGCATGGCAACACACCCCTGCACGTGG
 CCTGCAAAGATGGAAGCGCACCTATCGTGGTGGCCCTCTGTGAAGCCAGCTGCAATCTGGACATCTCAA
 CAAGTATGGTCCGACTCCTCTCCACCTTGACGCAACAACGGGATCTAGATGTGGTCCGCTACCTCTGT
 TTGATGGGCGCCAATGTGGAGGCTCTAACCTCGGATGGAAGACGGCCGAGGACCTCGCCAAAGCAGAAC
 AGCAGAGCATGTGGCAGGGCTCCTGGCAAGACTGCGGAAGGACACACACCCGAGGACTCTTCATCCAGCA
 ACTCCGACCCACCCAGAATCTCCAGCCAGAATCAAGCTCAAACCTGTTTGGCCATTCTGGGATCAGGGAAA
 TCCACCCTGGTGAATCTCTCAAGTGTGGGCTGTTAAGGAGTTTCTTCAGAAGGCCGCGCCAGACTAT
 CCTCTACCAACTCCACCCGCTTCCACCCGTACCCCTGGCTGCTAAGCCAACAGTCTCAGTGAGCATTAA
 CAACCTGTACCCCGGCTGTGAGAACGTGAGCGTAAGGAGCCGAGCATGATGTTGAGCCGGGCTCACC
 AAAGGGATGCTGGAAGTGTTCGTGGCTCCGTCTCACCACCTCCACTGCTCGACTGATGACCAGTCCACCA
 AAGCCATCGACATCCAGAATGCTTATTTGAACGGAGTTGGTGATTTTCAGTGTGTGGGAGTTCTCTGGAAA
 CCCTGTGTAATCTGTTGCTATGACTACTTTGCTGCCAACGACCCACGTCATCCACATCATCGTTTTTC
 AGTCTCGAAGAACCCTATGAGATCCAGTGAACCAAGTATTTTCTGGCTCAGTTTCTGAAGTCTCTGG
 TCCAGTTGAAGAACCCTATAGCATTGGAGGCAAGCTGAAGAACCCTCTCCGAGTTGTCTGGTGGCAAC
 ACATGCTGACATCATGAACATCCCTCGGCTGCTGGAGGCGAGTTTGGATATGACAAGGATACATCCTTG
 CTGAAAGAGATCAGAAACAGGTTCCGGAATGACCTTTCATGTCTCAAACAAGCTGTTTGTCTGGATGCG
 GAGCGTCTGGGTCTAAGGACATTAAGGTTCTTCGGAATCACCTGCAAGAAATACGGAGCCAGATTGTCTC
 GGGGTGTTCCGCCATGACTCACCTGTGCGAGAAGATCATCTCCACGCTGCCCTCTGGCGGAAGCTCAAC
 GGGCAAACCAGCTGATGTCGCTGCAGCAGTTTGTGATGACGTGCAGGACCAGCTGAACCCCTGGCCT
 CTGAGGATGACCTCAGGCGCATTGCACAACAGCTACACAGCACGGGCGAGATAAACATCATGCAGAGTGA
 GACAGTGCAGGACGTGTTACTGCTGGATCCTCGATGGCTCTGCACCAAGTCTCTGGGAAAGCTGCTGTCT
 GTGGAGACGCCCGAGCCCTGCACCATTACCGGGCCGCTACACCATGGAAGACATCCAGCGTCTGGTCC
 CAGACAGTGCAGTGGAGGAGCTGCTGCAGATACTGGATGCCATGGACATCTGCGCCCGAGACCTGAGTAG
 TGGGACTATGGTGGATATCCCTGCTGATCAAAAACAGACAGCCTGCAGCGCTCTGGGCGGATGAGGAG
 GATGAGGTGATGGTGTACGGTGGGGTGCGCATTGTCCCTGTAGAGCACCTCACCCCTTCCCCTGTGGCA
 TCTTTCACAAAGTTCAGGTCAACCTGTGCCGATGGATCCACCAGCAAAGCGGGAGGGTGTGCGGACAT
 CCGTCTGTGGGTGAGCGGCTGCAGGATCGCAACCGGGGCTGAGTTGCTGGTGTCTGGTCAATCAC
 GGTGAGGGCATCGAGGTACAGGTGCGTGGCCTGGAGACGGAGAAGATTAAGTGTGCTGCTGCTGGACT
 CGGTGTGCAGCACCATCGAGACCGTTCATGGCCACCACCTTGCCAGGGTGTGACGGTGAAGCACTACCT
 GAGCCCCAGCAGCTAAGGGAGCACACGAACCGGTTCATGGTCTATCAGCCCCGGGACTTCTCCGTGCG
 CAGACCCTGAAAGAGAGTTCCCTTACCAACACCATGGGTGGGTACAAGGAGAGCTTCAGCAGCATACGT
 GCTTTGGGTGTCATGACGTCTACTCACAGGCCAGTCTTGGCATGGATATCCATGCGTTCAGACCTGAGTCT
 CCTGACCCGGAGGAAACTGAGTCGCTGCTTGACCCACCCGACCCATGGGGAAGGACTGGTGCCTTCTG
 GCCATGAACCTGGGCCTCCCAGACATGGTGGCCAAACACAACGTCAACAACAGGGCTTCTAGGGATTTCC
 TCCCTAGCCAGTGCATGCCTTGCTACAGGAATGGACCTCCTACCTGAGAGCACGGTGGGCATCCTTAT
 ATCAAACCTTGGGAGCTGGGGCGCCGGATGCTGCGGACTTTTACTGAAGGCCTCCTGTGTTCAG
 ATCAACCTTGATGGCAATGGCCAGGAGGCTATGCCTCAAGCTGTAAACAGTGGCAGCTCTACAATTCCA
 TTAGCTCAGTGGTGTCCCGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
 ACCN: NM_029653
 Insert Size: 4293 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_029653.3</u> , <u>NP_083929.2</u>
RefSeq Size:	5891 bp
RefSeq ORF:	4293 bp
Locus ID:	69635
UniProt ID:	<u>Q80YE7</u>
Cytogenetics:	13 32.53 cM

Gene Summary:

Calcium/calmodulin-dependent serine/threonine kinase involved in multiple cellular signaling pathways that trigger cell survival, apoptosis, and autophagy. Regulates both type I apoptotic and type II autophagic cell deaths signal, depending on the cellular setting. The former is caspase-dependent, while the latter is caspase-independent and is characterized by the accumulation of autophagic vesicles. Phosphorylates PIN1 resulting in inhibition of its catalytic activity, nuclear localization, and cellular function. Phosphorylates TPM1, enhancing stress fiber formation in endothelial cells. Phosphorylates STX1A and significantly decreases its binding to STXBP1. Phosphorylates PRKD1 and regulates JNK signaling by binding and activating PRKD1 under oxidative stress. Phosphorylates BECN1, reducing its interaction with BCL2 and BCL2L1 and promoting the induction of autophagy. Phosphorylates TSC2, disrupting the TSC1-TSC2 complex and stimulating mTORC1 activity in a growth factor-dependent pathway. Phosphorylates RPS6, MYL9 and DAPK3 (By similarity). Acts as a signaling amplifier of NMDA receptors at extrasynaptic sites for mediating brain damage in stroke. Cerebral ischemia recruits DAPK1 into the NMDA receptor complex and it phosphorylates GRINB at Ser-1303 inducing injurious Ca(2+) influx through NMDA receptor channels, resulting in an irreversible neuronal death. Required together with DAPK3 for phosphorylation of RPL13A upon interferon-gamma activation which is causing RPL13A involvement in transcript-selective translation inhibition.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longest transcript and encodes isoform 1. Both variants 1 and 2 encode the same isoform. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.