

## Product datasheet for MC229591

### Dapk1 (NM\_001285917) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Dapk1 (NM_001285917) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Dapk1
Synonyms:	D13Ucla1; DAP-Kinase
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC229591 representing NM_001285917 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGACTGTGTTTCAGGCAGGAAAACGTGGACGACTACTACGACACCGGCGAGGAACTGGGCAGTGGACAGT  
TCGCAGTTGTGAAGAAATGTCGTGAGAAAAGTACCGGTCTTCAGTATGCGGCCAAGTTCATCAAGAAAAG  
GAGGACCAAGTCCAGCCGGCGGGCGGTGAGCCGGGAGGACATCGAGCGGGAGGTCAGCATCTGAAGGAG  
ATCCGGCACCCAAATGTCATCACCTGCATGAGGTCTATGAGAACAAGACAGATGTCATTCTGATCCTGG  
AGCTTGTGTCAGGAGGTGAGCTGTTGACTTCTGGCTGAGAAGGAATCTCTGACTGAAGAGGAGGCAAC  
GGAATTCCTTAAGCAGATTCTCAGCGGCGTTTACTACCTGCACTCACTGCAGATCGCTCACTTTGACCTG  
AAGCCGAAAACATAATGCTTCTGGATAGAAAATGTGCCAAACCTCGGATCAAGATCATAGACTTTGGCT  
TGGCCATAAAATTGACTTTGAAATGAATTCAAAACATATTTGGGACACCAGAGTTTGTGGCTCCGGA  
GATAGTCAACTATGAGCCCTGGGTCTTGAGGCAGATATGTGGAGCATCGGGTAATAACCTATATCCTC  
CTAAGTGGGCGCTCCCTTTTCTTGAGACACCAAGCAAGAAACATTAGCGAATGTGTCGCTGTCAACT  
ACGACTTTGAGGAGGAATCTTCCGGAACACCAAGTACCCTTGCCAAAGATTTTCATCAGAAGACTGCTGGT  
CAAGGATCCAAAGAAGAGGATGACAATCCAGGACAGTTTGCAGCACCCCTGGATCAAGCCTAAAGACACC  
CAACAAGCACTTAGTCGAAAAGCCTCAGCAGTAAACATGGAGAAATTCAGAAAGTTTGCAGCTCGGAAAA  
AATGGAACAATCTGTTGCTTGTATCACTGTGCCAAAGATTATCCAGGTCAATTTTGTCCAGAAGTAA  
CATGAGTGTGCCAGGAGTGTGATCACTCTGGATGAGGAAGACTCCTTTGTGATGAAAGCCATCATCCAT  
GCCATCAATGATGACAACGTACCCGGCCTGCAGCATCTCCTGGGCTCCTTGTCCAGCTATGACGTCAACC  
AGCCCAACAAGCATGGGACACCTCCATTACTGATTGCCGAGGCTGTGGCAACATCCAGATGTTACAGTT  
ACTCATAAAACGAGGCTCAAGGATTGACGTCCAGGATAAGGGAGGATCCAATGCCATCTACTGGGCTCT  
CGGCATGGCCATGTGGATACTTTGAAATTTCTCAATGAGAACAATGCCCTTTGGATGTTAAAGACAAGT  
CTGGAGAGACAGCTCTTACGTGGCAGCCGCTATGGCCATGCAGATGTGGTTCAACTACTGTGCAGTTT  
TGGCTCTAATCCTGATTTCCAGGACAAGGAAGAGGAAACCCCTTGCAGTGTGCTGCCTGGCATGGCTAT  
TACTCCGTGGCTAAAGCTCTTTGTGAAGTTGGCTGCAACGTGAATATCAAGAATCGGGAGGGAGAGACCC



[View online »](#)

CATTGCTGACGGCGTCTGCCAGGGGCTATCATGACATTGTGGAGTGTCTGGCTGAACATGGAGCTGACT  
 GAATGCTTCTGACAAGGATGGACACATCGCTCTTCATCTTGTCTGTGAGGCGTTGTGAGATGGAAGTCATC  
 AAGACCTCCTTGGCCATGGGTCTTTGTGGATTTCCAGGACAGGCATGGCAACACACCCCTGCACGTGG  
 CCTGCAAAGATGGAAGCGCACCTATCGTGGTGGCCCTCTGTGAAGCCAGCTGCAATCTGGACATCTCAA  
 CAAGTATGGTCCGACTCCTCTCCACCTTGACGCAACAACGGGATCTAGATGTGGTCCGCTACCTCTGT  
 TTGATGGGCGCCAATGTGGAGGCTCTAACCTCGGATGGAAGACGGCCGAGGACCTGCCAAGGCAGAAC  
 AGCACGAGCATGTGGCAGGGCTCCTGGCAAGACTGCGGAAGGACACACACCCGAGGACTCTCATCCAGCA  
 ACTCCGACCCACCCAGAATCTCCAGCCAGAATCAAGCTCAAACCTGTTTGGCCATTCCGGATCAGGGAAA  
 TCCACCTGCTGGAATCTCTCAAGTGTGGGCTGTTAAGGAGTTTCTTCAAGAGGCCGCCGAGACTAT  
 CCTCTACCAACTCCACCCGCTTCCACCCGTACCCCTGGCTGCTAAGCCAACAGTCTCAGTGAGCATTAA  
 CAACCTGTACCCCGCTGTGAGAACGTGAGCGTAAGGAGCCGAGCATGATGTTGAGCCGGGCTCACC  
 AAAGGGATGCTGGAAGTGTTCGTGGCTCCGTCTCACCACCTCCACTGCTCGACTGATGACCAGTCCACCA  
 AAGCCATCGACATCCAGAATGCTTATTTGAACGGAGTTGGTGATTTTCAGTGTGTGGGAGTTCTCTGGAA  
 CCCTGTGTAATCTGTTGCTATGACTACTTTGCTGCCAACGACCCACGTCATCCACATCATCGTTTTT  
 AGTCTCGAAGAACCCTATGAGATCCAGTGAACCAAGTATTTTCTGGCTCAGTTTCTGAAGTCTCTGG  
 TCCAGTTGAAGAACCCTATAGCATTGGAGGCAAGCTGAAGAACCCTCTCCGAGTTGCTCGGTGGCAAC  
 ACATGCTGACATCATGAACATCCCTCGGCTGCTGGAGGCGAGTTTGGATATGACAAGGATACATCCTTG  
 CTGAAAGAGATCAGAAACAGGTTCCGGAATGACCTTCAATGCTCAAAACAGCTGTTTGTCTCGATGCGAG  
 GAGCGTCTGGGTCTAAGGACATTAAGGTTCTTCGGAATCACCTGCAAGAAATACGGAGCCAGATTGTCTC  
 GGGGTGTTCCGCCATGACTCACCTGTGCGAGAAGATCATCTCCACGCTGCCCTCTGGCGGAAGCTCAAC  
 GGGCAAACCAGCTGATGTCGCTGCAGCAGTTTGTGATGACGTGCAGGACCAGCTGAACCCCTGGCCT  
 CTGAGGATGACCTCAGGCGCATTGCACAACAGCTACACAGCACGGGCGAGATAAACATATGCGAGTGA  
 GACAGTGCAGGAGCTGTTACTGCTGGATCCTCGATGGCTCTGCACCAACGCTCTGGGGAAGCTGCTGTCT  
 GTGGAGACGCCCGAGCCCTGCACCATTACCGGGCCGCTACACCATGGAAGACATCCAGGCTCTGGTCC  
 CAGACAGTGCAGTGGAGGAGCTGCTGCAGATACTGGATGCCATGGACATCTGCGCCCGAGACCTGAGTAG  
 TGGGACTATGGTGGATATCCCTGCTGATCAAAAACAGACAGCCTGCAGCGCTCTGGGCGGATGAGGAG  
 GATGAGGTGATGGGTACGGTGGGGTGCAGTGTCCCTGTAGAGCACCTCACCCCTTCCCTGTGGCA  
 TCTTTCACAAAGTTCAGGTCAACCTGTGCCGATGGATCCACCAGCAAAGCGGGAGGGTGTGCGGACAT  
 CCGTCTGTGGGTGAGCGGCTGCAGGATCGCAACCGGGGCTGAGTTGCTGGTGTCTGGTCAATCAC  
 GGTGAGGGCATCGAGGTACAGGTGCGTGGCCTGGAGACGGAGAAGATTAAGTGTGCTGCTGCTGGACT  
 CGGTGTGCAGCACCATCGAGACCGTATGGCCACCACCTTGCCAGGGTGTGACGGTGAAGCACTACCT  
 GAGCCCCAGCAGCTAAGGGAGCACACGAACCGGTATGGTCTATCAGCCCCGGGACTTCTCCGTGCG  
 CAGACCCTGAAAGAGAGTTCCCTTACCAACACCATGGGTGGGTACAAGGAGAGCTTCAGCAGCATACGT  
 GCTTTGGGTGTCATGACGTCTACTCACAGGCCAGTCTTGGCATGGATATCCATGCGTCAGACCTGAGTCT  
 CCTGACCCGGAGGAAACTGAGTCGCTGCTTGACCCACCCGACCCATGGGGAAGGACTGGTGCCTTCTG  
 GCCATGAACTTGGGCCTCCAGACATGGTGGCCAAACACAACGTCAACAACAGGGCTTCTAGGGATTTCC  
 TCCCTAGCCAGTGCATGCCTTGCTACAGGAATGGACCTCCTACCTGAGAGCACGGTGGGCATCCTTAT  
 ATCAAACCTTGGGAGCTGGGGCCGGGATGCTGCGGACTTTTACTGAAGGCCTCTGTGTCAAG  
 ATCAAACCTTGGTGAATGGCCAGGAGGCTATGCCTCAAGCTGAACAGTGGCACGTCTACAATTCCA  
 TTAGCTCAGTGGTGTCCCGGAGAGACTCCCATGCTTGGACCCACTGTATGATTTATAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI  
 ACCN: NM\_001285917  
 Insert Size: 4329 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001285917.1</a></u> , <u><a href="#">NP_001272846.1</a></u>
<b>RefSeq Size:</b>	5398 bp
<b>RefSeq ORF:</b>	4329 bp
<b>Locus ID:</b>	69635
<b>UniProt ID:</b>	<u><a href="#">Q80YE7</a></u>
<b>Cytogenetics:</b>	13 32.53 cM

**Gene Summary:**

Calcium/calmodulin-dependent serine/threonine kinase involved in multiple cellular signaling pathways that trigger cell survival, apoptosis, and autophagy. Regulates both type I apoptotic and type II autophagic cell deaths signal, depending on the cellular setting. The former is caspase-dependent, while the latter is caspase-independent and is characterized by the accumulation of autophagic vesicles. Phosphorylates PIN1 resulting in inhibition of its catalytic activity, nuclear localization, and cellular function. Phosphorylates TPM1, enhancing stress fiber formation in endothelial cells. Phosphorylates STX1A and significantly decreases its binding to STXBP1. Phosphorylates PRKD1 and regulates JNK signaling by binding and activating PRKD1 under oxidative stress. Phosphorylates BECN1, reducing its interaction with BCL2 and BCL2L1 and promoting the induction of autophagy. Phosphorylates TSC2, disrupting the TSC1-TSC2 complex and stimulating mTORC1 activity in a growth factor-dependent pathway. Phosphorylates RPS6, MYL9 and DAPK3 (By similarity). Acts as a signaling amplifier of NMDA receptors at extrasynaptic sites for mediating brain damage in stroke. Cerebral ischemia recruits DAPK1 into the NMDA receptor complex and it phosphorylates GRINB at Ser-1303 inducing injurious Ca(2+) influx through NMDA receptor channels, resulting in an irreversible neuronal death. Required together with DAPK3 for phosphorylation of RPL13A upon interferon-gamma activation which is causing RPL13A involvement in transcript-selective translation inhibition.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) differs in the 3' UTR and 3' coding region, compared to variant 1. The encoded isoform (2) has a longer and distinct C-terminus, compared to isoform 1.