

Product datasheet for **MG200115**

1810020G14Rik (BC005675) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: 1810020G14Rik (BC005675) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: 1810020G14Rik
Synonyms: 1810020G14Rik; 1810055I05Rik; BB388670
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200115 representing BC005675
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGATTGCGCCCCTGTGTTGCGAGCTCTGCGTAAGAACAAGACTCTACGCTATGGAGTCCCATGTTGT
TGCTGTTGTTGGAGTTCTTTTGGTCTTCGTGAATTTTCACAAATCCGGTACGATGCTGTGACAATTAA
GATTGATCCTGAATTGGAGAAAAATTGAAAGTAATAAAATAACTTTAGAGTCAGAGTATGAGAGGCTG
TTATGTTTATTGTGCAGACAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200115 representing BC005675
Red=Cloning site Green=Tags(s)
MIAPAVLRALRKNKTLRYGVPMLLL VVGGSFGLREFSQIRYDAVTIKIDPELEKCLKVKNITLSEYERL
LCLLCRQ

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: BC005675

ORF Size: 233 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC005675 , AAH05675
RefSeq Size:	639 bp
RefSeq ORF:	233 bp
Locus ID:	66272
Cytogenetics:	12 D1
Gene Summary:	Required for the assembly of the mitochondrial respiratory chain complex IV (CIV), also known as cytochrome c oxidase. Promotes the insertion of copper into the active site of cytochrome c oxidase subunit II (MT-CO2/COX2). Interacts specifically with newly synthesized MT-CO2/COX and its copper center-forming metallochaperones SCO1, SCO2 and COA6. Probably facilitates MT-CO2/COX2 association with the MITRAC assembly intermediate containing MT-CO1/COX1, thereby participating in merging the MT-CO1/COX1 and MT-CO2/COX2 assembly lines.[UniProtKB/Swiss-Prot Function]