

## Product datasheet for **MG200243**

### **Snrpe (NM\_009227) Mouse Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Snrpe (NM\_009227) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Snrpe  
**Synonyms:** AL022645; C76690; SME  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG200243 representing NM\_009227  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCGTACCGCGGCCAGGGCCAAAAGGTGAGAAGGTGATGGTGCAGCCATCAACCTTATCTTCAGAT  
 ACTTGCAAAATAGATCTCGAATTCAGGTGTGGCTGTATGAACAAGTGAATATGCGGATAGAAGGTTGTAT  
 TATTGGCTTTGATGAGTACATGAACCTCGTATTAGATGATGCAGAAGAGATTCATTCTAAACAAAGTCA  
 AGAAAACAACCTGGGTCGGATCATGCTAAAAGGAGATAATATTACTCTGCTCCAAAGTGTTC AAC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG200243 representing NM\_009227  
 Red=Cloning site Green=Tags(s)

MAYRGGQKQKVMQPINLIFRYLQNRSRIVWLVEQVNMRIEGCIIGFDEYMNLVLDAAEEIHSKTKS  
 RKQLGRIMLKGDNITLLQSVSN

**TRTRPLE** - GFP Tag - V

**Restriction Sites:** SgfI-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM\_009227

ORF Size: 276 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_009227.3</a>
<b>RefSeq Size:</b>	466 bp
<b>RefSeq ORF:</b>	279 bp
<b>Locus ID:</b>	20643
<b>UniProt ID:</b>	<a href="#">P62305</a>
<b>Cytogenetics:</b>	1 E4
<b>Gene Summary:</b>	Plays role in pre-mRNA splicing as core component of the SMN-Sm complex that mediates spliceosomal snRNP assembly and as component of the spliceosomal U1, U2, U4 and U5 small nuclear ribonucleoproteins (snRNPs), the building blocks of the spliceosome. Component of both the pre-catalytic spliceosome B complex and activated spliceosome C complexes. Is also a component of the minor U12 spliceosome. As part of the U7 snRNP it is involved in histone 3'-end processing. May indirectly play a role in hair development. [UniProtKB/Swiss-Prot Function]