

Product datasheet for **MG200279**

Josd2 (BC018244) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Josd2 (BC018244) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Josd2
Synonyms: 1110007C05Rik
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200279 representing BC018244
Red=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTCAGGCTCCGGAAGCGAGGCCGAGTCCACCCTCAGTGTATCATGAGCGGCAGCGGCTAGAGCTGT
GTGCTGTCCATGCTCTCAACAACGTCCTTCAAGAGCAGCTCTTAGCCAGGAGGCTGCCGACGAAATCTG
CAAGAGGCTAGCCCAGATTCCCGGCTGAACCCCATCGAGTCTTTGGGCACCGCAACTATGATGTC
AACGTGATCATGGCTGCCCTGCAGGGCCTGGCCCTGGCCGCTGTGTGGTGGGACAGGAGGAGAAGGCTTC
CCCGTCACATA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200279 representing BC018244
Red=Cloning site **Green**=Tags(s)
MSQAPEARPPSPSYHERQRLLECAVHALNNVLQEQLFSQEADEICKRLAPDSRLNPHRSLGTYNDV
NVIMAALQGLGLAAVWDRRRRLPRHI

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC018244 , AAH18244
RefSeq Size:	1178 bp
RefSeq ORF:	293 bp
Locus ID:	66124
Cytogenetics:	7 B3
Gene Summary:	Cleaves 'Lys-63'-linked poly-ubiquitin chains, and with lesser efficiency 'Lys-48'-linked poly-ubiquitin chains (in vitro). May act as a deubiquitinating enzyme (By similarity). [UniProtKB/Swiss-Prot Function]