

Product datasheet for MG200425

Phf5a (NM 026737) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Phf5a (NM_026737) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Phf5a

Synonyms: 1110007B08Rik

Mammalian Cell Nec

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG200425 representing NM_026737

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCTAAACATCATCCAGATTTGATTTTCTGCCGCAAGCAGGCTGGTGTGGCTATCGGAAGACTGTGTGAAAAAATGTGACGGCAAGTGTGTGATCTGTGATTCCTACGTGCGTCCCTGCACCCTGGTCCGCATATGTGATGATGTAACTATGGATCTTACCAGGGCCGGTGTGTAATCTGTGGCGGCCCCGGAGTCTCCGATGCCTACTACTGTAAAGAGTGCACCATTCAGGAGAAGGATAGAGATTGTCAAAGATTGTCAATTTGGGGAGCT

CTAAGACAGACCTGTTCTATGAACGCAAAAAATACGGCTTCAAGAAGAGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200425 representing NM_026737

Red=Cloning site Green=Tags(s)

MAKHHPDLIFCRKQAGVAIGRLCEKCDGKCVICDSYVRPCTLVRICDECNYGSYQGRCVICGGPGVSDAY

YCKECTIQEKDRDGCPKIVNLGSSKTDLFYERKKYGFKKR

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_026737

ORF Size: 330 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 026737.3, NP 081013.1</u>



 RefSeq Size:
 1648 bp

 RefSeq ORF:
 333 bp

 Locus ID:
 68479


 UniProt ID:
 P83870

 Cytogenetics:
 15 E1

Gene Summary:

Involved with the PAF1 complex (PAF1C) in transcriptional elongation by RNA polymerase II, and in regulation of development and maintenance of embryonic stem cell (ESC) pluripotency. Required for maintenance of ESCs self-renewal and cellular reprogramming of stem cells. Maintains pluripotency by recruiting and stabilizing PAF1C on pluripotency genes loci, and by regulating the expression of the pluripotency genes. Regulates the deposition of elongation-associated histone modifications, including dimethylated histone H3 'Lys-79' (H3K79me2) and trimethylated histone H3 'Lys-36' (H3K36me3), on PAF1C targets, selfrenewal and pluripotency genes. Regulates RNA polymerase II promoter-proximal pause release of the PAF1C targets and self-renewal genes, and the levels of elongating ('Ser-2' phosphorylated) RNA polymerase II in their gene bodies. Regulates muscle specification in adult stem cells by stabilizing PAF1C in chromatin to promote myogenic differentiation (PubMed:27749823). Involved in pre-mRNA splicing as a component of the splicing factor SF3B complex. SF3B complex is required for 'A' complex assembly formed by the stable binding of U2 snRNP to the branchpoint sequence (BPS) in pre-mRNA. Sequence independent binding of SF3A/SF3B complex upstream of the branch site is essential, it may anchor U2 snRNP to the pre-mRNA (By similarity). Acts as a transcriptional regulator by binding to the GJA1/Cx43 promoter and enhancing its up-regulation by ESR1/ER-alpha (By similarity). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG200425