

Product datasheet for **MG200448**

Churc1 (BC076499) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Churc1 (BC076499) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Churc1
Synonyms: chch, My015
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200448 representing BC076499
Red=Cloning site Blue=ORF Green=Tags(s)

```
TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCCGATCGCC
```

```
ATGTGTGGGGACTGTGTGGAGAAGGAGTACCCCAATCGGGGCACCACCTGTCTGGAGAATGGATCGTTCT  
TACTGAACTTCGCAGGCTGCGCAGTGTGCAGTAAGCGGGACTTTATGCTGATCACAAACAGATCCCTGAA  
AGAGGAAGATGGAGAAGAAATAGTTACCTATGACCATCTGTGTAAGAACTGTCATCATGTAGTAGCCAGA  
CACGAGTATACATTACGATCATGGATGAATTTACAGGAATATACCATGCTGTGTCTGTTGTGTGGCAAAG  
CTGAAGATACTATCAGTATTCTCCCTGATGACCCCGGCAGATGACTCTGCTGTTCT
```

```
ACCGCTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
```

Protein Sequence: >MG200448 representing BC076499
Red=Cloning site Green=Tags(s)

```
MCGDCVEKEYPNRGTTCLENGSFLLNFAGCAVCSKRFMLITNRSKKEEDGEIIVTYDHLCKNCHHVVAR  
HEYTFSIMDEFQEYTMCLLLCGKAEDTISILPDDPRQMTLLF
```

```
TRTRPLE - GFP Tag - V
```


Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shutting:


Plasmid Map:

ACCN: BC076499

ORF Size: 338 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC076499</u> , <u>AAH76499</u>
RefSeq Size:	672 bp
RefSeq ORF:	338 bp
Locus ID:	211151
Cytogenetics:	12 C3
Gene Summary:	Transcriptional activator that mediates FGF signaling during neural development. Plays a role in the regulation of cell movement. Does not bind DNA by itself (By similarity). [UniProtKB/Swiss-Prot Function]