

## Product datasheet for **MG200498**

### Selenoh (NM\_001037279) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Selenoh (NM\_001037279) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Selenoh  
**Synonyms:** 2700094K13Rik; Se; Selh  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG200498 representing NM\_001037279  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCCCCACGGAAGAAAGCGTAAGGCGGGGCGCGCCTATGGAGACGGTGGACAAGCGCGAGAAAC  
TGGCGGAGGGCGCGACCGTGGTCATTGAGCATTGTACGAGCTGACGCGTGTACGGCCGCATGCTGCTGC  
CTTGAGCCAGGCTCTGCAACTGGAGGCCCGAGCTACCTGTGCAAGTGAACCCGTCAAACCGCGGAGG  
GGCAGCTTCGAGGTGACGCTGCTGCGCTCGACAACAGCCGTGTTGAACTCTGGACTGGTATTAAGAAGG  
GCCCTCCAGAAAGCTCAAATTCCTGAGCCTCAAGAGGTGGTTGAAGAATTGAAGAAGTACCTTCA

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG200498 representing NM\_001037279  
Red=Cloning site Green=Tags(s)  
MAPHGRKRKAGAAPMETVDKREKLAEGATVVIEHCTS\*RVYGRHAAALSQALQLEAPELPVQVNPSPRR  
GSFEVTLRLSDNSRVELWTGIKGPRLKFPPEQEVVEELKKYLS

SGP**TRRRLE** - GFP Tag - V



**Restriction Sites:** Sgfl-RsrII




[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM\_001037279

ORF Size: 351 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001037279.2</a></u> , <u><a href="#">NP_001032356.1</a></u>
<b>RefSeq Size:</b>	672 bp
<b>RefSeq ORF:</b>	351 bp
<b>Locus ID:</b>	72657
<b>UniProt ID:</b>	<u><a href="#">Q3UQA7</a></u>
<b>Cytogenetics:</b>	2 D
<b>Gene Summary:</b>	This gene encodes a nucleolar protein, which belongs to the SelWTH family. It functions as an oxidoreductase, and has been shown to protect neurons against UVB-induced damage by inhibiting apoptotic cell death pathways, promote mitochondrial biogenesis and mitochondrial function, and suppress cellular senescence through genome maintenance and redox regulation. This protein is a selenoprotein, containing the rare amino acid selenocysteine (Sec) at its active site. Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, May 2016]