

Product datasheet for MG200508

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Gabarapl1 (NM_020590) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Gabarapl1 (NM_020590) Mouse Tagged ORF Clone

Tag: TurboGFP Symbol: Gabarapl1

Synonyms: 3110025G09Rik; 9130422N19Rik; Al196471; Apg8l; Atg8l; GECl; MNCb-0091

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG200508 representing NM_020590

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

Α

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200508 representing NM_020590

Red=Cloning site Green=Tags(s)

MKFQYKEDHPFEYRKKEGEKIRKKYPDRVPVIVEKAPKARVPDLDKRKHLVPSDLTVGQFYFLIRKRIHL

 ${\tt RPEDALFFFVNNTIPPTSATMGQLYEDNHEEDYFLYVAYSDESVYGK}$


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





Plasmid Map:



ACCN: NM_020590

ORF Size: 351 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

Gabarapl1 (NM_020590) Mouse Tagged ORF Clone - MG200508

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 020590.3, NP 065615.1</u>

RefSeq Size: 1774 bp
RefSeq ORF: 354 bp
Locus ID: 57436
UniProt ID: Q8R3R8
Cytogenetics: 6 F3

Gene Summary: Ubiquitin-like modifier that increases cell-surface expression of kappa-type opioid receptor

through facilitating anterograde intracellular trafficking of the receptor. Involved in formation of autophagosomal vacuoles. Whereas LC3s are involved in elongation of the phagophore membrane, the GABARAP/GATE-16 subfamily is essential for a later stage in autophagosome

maturation (By similarity).[UniProtKB/Swiss-Prot Function]