

# **Product datasheet for MG200578**

## Eif4ebp2 (NM 010124) Mouse Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Eif4ebp2 (NM\_010124) Mouse Tagged ORF Clone

Tag: TurboGFP Symbol: Eif4ebp2

**Synonyms:** 4E-BP2; 2810011I19Rik; AA792569; BC010348; PHAS-II

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG200578 representing NM\_010124

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GATGGACATC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG200578 representing NM\_010124

Red=Cloning site Green=Tags(s)

MSASAGGSHQPSQSRAIPTRTVAISDAAQLPQDYCTTPGGTLFSTTPGGTRIIYDRKFLLDRRNSPMAQT

PPCHLPNIPGVTSPGALIEDSKVEVNNLNNLNNHDRKHAVGDEAQFEMDI

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### **Cloning Scheme:**





## Plasmid Map:



**ACCN:** NM\_010124

ORF Size: 360 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

### Eif4ebp2 (NM\_010124) Mouse Tagged ORF Clone - MG200578

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 010124.2</u>, <u>NP 034254.1</u>

 RefSeq Size:
 1786 bp

 RefSeq ORF:
 363 bp

 Locus ID:
 13688

 UniProt ID:
 P70445

Cytogenetics: 10 32.21 cM

**Gene Summary:** Repressor of translation initiation involved in synaptic plasticity, learning and memory

formation (PubMed:16237163, PubMed:17029989). Regulates EIF4E activity by preventing its assembly into the eIF4F complex: hypophosphorylated form of EIF4EBP2 competes with EIF4G1/EIF4G3 and strongly binds to EIF4E, leading to repress translation. In contrast, hyperphosphorylated form dissociates from EIF4E, allowing interaction between EIF4G1/EIF4G3 and EIF4E, leading to initiation of translation (PubMed:17029989,

PubMed:20347422, PubMed:23172145). EIF4EBP2 is enriched in brain and acts as a regulator

of synapse activity and neuronal stem cell renewal via its ability to repress translation initiation (PubMed:20347422, PubMed:24139800, PubMed:23172145). Mediates the regulation of protein translation by hormones, growth factors and other stimuli that signal through the MAP kinase and mTORC1 pathways (PubMed:8939971).[UniProtKB/Swiss-Prot

Function]