

Product datasheet for **MG200591**

3200002M19Rik (BC080730) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: 3200002M19Rik (BC080730) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: 3200002M19Rik
Synonyms: 3200002M19Rik; 6330414C15Rik; APC15
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200591 representing BC080730
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGAGCCAGGACTCAAACCTCAGCTTAGGAGCCATGTCCACCTTGTTCCTGCTACTCTTCCCTCGTGTGA
 CTGAGACACTGTGGTTAATCTGGACCGACCCTGTGTGGAGGAGACAGAGCTGCAGCAGCAGGAGCAGCA
 GCATCAGGCTGGCTCAAAGCATCGCAGAGAAAGACAACAACCTGGTACCAATTGGCAAGCCGGCCTCA
 GAGCACTACGATGATGAGGAAGAAGAGGATGATGAAGATGATGAGGACAGTGAAGAGGATTCCGAAGATG
 ATGAGGACATGCAAGACATGGATGAGATGAATGACTATAATGAGTCACCTGATGATGGAGAGGTCAATGA
 GTAGGCGGGGTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200591 representing BC080730
 Red=Cloning site Green=Tags(s)
 MEPGLKLSLGAMSTLFPRLFPRVTETLWFNLDRPCVEETELQQEQHQHAWLQSI AEKDNLVPIGKPAS
 EHYDDEEEDEDEDEDESEDESEDEDMQDDEMNDYNE SPDDGEVNEVGGV

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: BC080730

ORF Size: 363 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC080730.1
RefSeq Size:	950 bp
RefSeq ORF:	365 bp
Locus ID:	75430
Cytogenetics:	7 E2
Gene Summary:	Component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3 ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. In the complex, plays a role in the release of the mitotic checkpoint complex (MCC) from the APC/C: not required for APC/C activity itself, but promotes the turnover of CDC20 and MCC on the APC/C, thereby participating in the responsiveness of the spindle assembly checkpoint. Also required for degradation of CDC20 (By similarity).[UniProtKB/Swiss-Prot Function]