

# Product datasheet for MG200655

### PhIda3 (NM\_013750) Mouse Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Phlda3 (NM_013750) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PhIda3
Synonyms:	Tih1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG200655 representing NM_013750 Red=Cloning site Blue=ORF Green=Tags(s)
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGACGGCGGCGGCGACCGTGCTGAAGGAGGGCGTGCTGGAGAAGCGCAGCGGCGGGCTGCTGCAGCTGT GGAAGCGGAAGCGCTGCGTGCTCACCGAGCGCGGGGCTGCAGCTCTTCGAGGCCAAGGGCACGGGCGGCCG GCCCAAGGAGCTCAGCTTCGCCCGCATCAAAGCCGTGGAGTGCGTAGAGAGCACCGGGCGCCACATCTAC TTCACGCTAGTGACCGAAGGCGGGGGCGAGATCGACTTCCGCTGCCCCCTCGAAGACCCTGGCTGG
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	>MG200655 representing NM_013750 <mark>Red=</mark> Cloning site Green=Tags(s)
	MTAAATVLKEGVLEKRSGGLLQLWKRKRCVLTERGLQLFEAKGTGGRPKELSFARIKAVECVESTGRHIY FTLVTEGGGEIDFRCPLEDPGWNAQITLGLVKFKNQQAIQTVRARQSLGTGTLVS
	TRTRPLE - GFP Tag - V
Chromatograms:	https://cdn.origene.com/chromatograms/ja3014_e07.zip
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **Cloning Scheme:**




ACCN:	NM_013750
ORF Size:	375 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

**Phida3 (NM\_013750) Mouse Tagged ORF Clone - MG200655** 

Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 013750.2</u>
RefSeq Size:	1483 bp
RefSeq ORF:	378 bp
Locus ID:	27280
UniProt ID:	<u>Q9WV95</u>
Cytogenetics:	1 59.26 cM
Gene Summary:	p53/TP53-regulated repressor of Akt/AKT1 signaling. Represses AKT1 by preventing AKT1- binding to membrane lipids, thereby inhibiting AKT1 translocation to the cellular membrane and activation. Contributes to p53/TP53-dependent apoptosis by repressing AKT1 activity. Its direct transcription regulation by p53/TP53 may explain how p53/TP53 can negatively regulate AKT1. May act as a tumor suppressor (By similarity).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Circular map for MG200655

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US