

Product datasheet for **MG200727**

Hist2h2aa1 (BC010564) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Hist2h2aa1 (BC010564) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Hist2h2aa1
Synonyms: A1448581; H2a-614; H2a-615; Hist2
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200727 representing BC010564
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCGGTCGTGGCAAGCAAGGAGGCAAGGCCCGCGCCAAGGCCAAGTCGCGGTCTTCCCGGGCCGGGC
TACAGTTCCTCCGGTGGGGCGGTACACCGGCTGCTGCGCAAGGGCAACTACGCGGAGCGGTGTGGCGCCGG
CGCGCCGGTATACATGGCGGCGGTGCTGGAGTACCTAACGGCCGAGATCCTGGAGCTGGCGGGCAACGCG
GCCCGGACAACAAGAAGACGCGCATCATCCCGCGCCACCTGCAGCTGGCCATCCGCAACGACGAGGAGC
TCAACAAGCTGCTGGCAAAGTGACGATCGCGCAGGGCGGCGTCTGCCAACATCCAGGCCGTGCTGCT
GCCAAGAAGACGAGAGCCACCATAAGCGGAAGGGCAAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200727 representing BC010564
Red=Cloning site Green=Tags(s)
MSGRGKQGGKARAKAKSRSSRAGLQFPVGRVHRLLRKGNYAERVGAGAPVYMAAVLEYLTAEILELAGNA
ARDNKKTRIIPRHLQLAIRNDEELNKLKGVTIAQGGVLPNIQAVLLPKKTESHKAKGK

TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Cloning sites used for ORF Shutting:


Plasmid Map:

ACCN: BC010564

ORF Size: 390 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC010564.1
RefSeq Size:	543 bp
RefSeq ORF:	392 bp
Locus ID:	15267
Cytogenetics:	3 41.69 cM
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. [provided by RefSeq, Oct 2015]