

Product datasheet for MG200778

Ndufb11 (NM 019435) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ndufb11 (NM_019435) Mouse Tagged ORF Clone

Tag: TurboGFP Symbol: Ndufb11

Synonyms: D5Bwg0566e; D5Bwg0577e; Np15; NP15.6

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG200778 representing NM_019435

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GATCCCAGCAAGATCCAGTTACCAGAAGATGAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200778 representing NM_019435

Red=Cloning site Green=Tags(s)

MAARLLSLYGRCLSAAGAMRGLPAARVRWESSRAVIAPSGVEKKRQREPTMQWQEDPEPEDENVYAKNPD FHGYDSDPVVDVWNMRAVFFFGFSIVLVFGTTFVAYVPDYRMQEWARREAERLVKYREVNGLPIMESNYF

DPSKIQLPEDD

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





Plasmid Map:



ACCN: NM 019435

ORF Size: 453 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 019435.5</u>

 RefSeq Size:
 853 bp

 RefSeq ORF:
 456 bp

 Locus ID:
 104130

 UniProt ID:
 009111

 Cytogenetics:
 X A1.3

Gene Summary: Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase

(Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the

enzyme is believed to be ubiquinone.[UniProtKB/Swiss-Prot Function]