

## Product datasheet for **MG200815**

### Rida (NM\_008287) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Rida (NM\_008287) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Rida  
**Synonyms:** HR12; HRP12; Hrsp12  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG200815 representing NM\_008287  
**Red**=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTGTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTCGTCATAATCAGAAAGGTGATCAGCACCAAAAGCCCCGGCGGCCATTGGTCCCTACAGTCAAG  
CTGTGCAAGTGGACAGGACCATTTACATTTCTGGACAGGTAGGCCTGGATCCTCCAGTGGACAGCTTGT  
GCCAGGAGGAGTAGTAGAAGAAGCTAAACAGGCTCTTAAAACTTGGGTGAGATTCTGAAAGCTGCAGGC  
TGTGACTTCAATAATGTGGTGAACAACACTGTTTTACTGGCTGACATGAATGACTTTGGCACTGTCAATG  
AGATCTATAAAACATATTTCCAGGCTAGCCTTCTGCCAGGGCTGCTTACCAAGTCGCTGCTTTACCCAG  
AGGAAGTCGAGTTGAAATCGAAGCAATCGCTGTCCAGGGGCCCTTCATCAAGGCA

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG200815 representing NM\_008287  
**Red**=Cloning site **Green**=Tags(s)

MSSIIRKVISTTKAPAAIGPYSQAVQVDRITIIYISQVGLDPSSGQLVPGGVVEEAKQALKNLGEILKAAG  
CDFNNVVKTTVLLADMNDFGTVNEIYKTYFQGSPLPARAAYQVAALPRGSRVEIEAIAVQGPFIKA

**TRTRPLE** - GFP Tag - V



**Restriction Sites:** SgfI-MluI



[View online »](#)

## Cloning Scheme:

Cloning sites used for ORF Shutting:



ACCN: NM\_008287

ORF Size: 405 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.  
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.  
3. Close the tube and incubate for 10 minutes at room temperature.  
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.  
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_008287.3](#), [NP\\_032313.2](#)

RefSeq Size: 824 bp

RefSeq ORF: 408 bp


Locus ID: 15473

UniProt ID: [P52760](#)

Cytogenetics: 15 B3.1

**Gene Summary:** Catalyzes the hydrolytic deamination of enamine/imine intermediates that form during the course of normal metabolism. May facilitate the release of ammonia from these potentially toxic reactive metabolites, reducing their impact on cellular components. It may act on enamine/imine intermediates formed by several types of pyridoxal-5'-phosphate-dependent dehydratases including L-threonine dehydratase.[UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MG200815