

Product datasheet for MG200829

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

H3c13 (NM_178215) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: H3c13 (NM_178215) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: H3c13

Synonyms: H3-615; H3-616; H3c2; H3c3; H3c4; H3c6; H3c7; H3c14; H3c15; Hist2h; Hist2h3b

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG200829 representing NM_178215

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CGTCACCATCATGCCCAAGGACATCCAGTTGGCCCGCCGCATCCGTGGGGAGCGCGCT

AGCGGACCGACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200829 representing NM_178215

Red=Cloning site Green=Tags(s)

MARTKQTARKSTGGKAPRKQLATKAARKSAPATGGVKKPHRYRPGTVALREIRRYQKSTELLIRKLPFQR LVREIAQDFKTDLRFQSSAVMALQEASEAYLVGLFEDTNLCAIHAKRVTIMPKDIQLARRIRGERA


SGPTRTRRLE - GFP Tag - V


Restriction Sites: Sgfl-Rsrll






Cloning Scheme:





Plasmid Map:



ACCN: NM_178215

ORF Size: 408 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

H3c13 (NM_178215) Mouse Tagged ORF Clone - MG200829

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 178215.2</u>, <u>NP 835587.1</u>

 RefSeq Size:
 411 bp

 RefSeq ORF:
 411 bp

 Locus ID:
 319154

 UniProt ID:
 P84228

 Cytogenetics:
 3 F2.1

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent

histone that is a member of the histone H3 family. [provided by RefSeq, Aug 2015]