

Product datasheet for **MG200843**

Tsc22d3 (BC028813) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Tsc22d3 (BC028813) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Tsc22d3
Synonyms: DIP, TSC-22R, Tilz3
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200843 representing BC028813
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAACACCGAAATGTATCAGACCCCCATGGAGGTGGCGGTCTATCAGCTGCACAATTTCTCCATCTCTCT
 TCTTTTCTTCTGCTTGGAGGGGATGTGGTTCCGTTAAACTGGATAACAGTGCCTCCGGAGCCAGTGT
 GGTGGCCCTAGACAACAAGATTGAGCAGGCCATGGACCTCGTGAAGAACCACCTGATGTACGCTGTGAGA
 GAGGAGGTGGAGGTCTAAAGGAGCAGATTCTGAGCTGCTTGAAGAAGTCCAGTCCCGCTGAGCCCTGAAGA
 ACACCCTCTGAAGACGCTGGCAAGCCCCGAGCAACTGGAAAAGTCCAGTCCCGCTGAGCCCTGAAGA
 GCCAGCACCTGAAGCCCCAGAAACCCCGAAACCCCGGAAGCCCTGGTGGTTCTGCGGTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200843 representing BC028813
 Red=Cloning site Green=Tags(s)

MNTEMYQTPMEVAVYQLHNFISIFFSSLLGGDVVSVKLDNSASGASVVALDNKIEQAMDLVKNHLMYAVR
 EEVEVLKEQIRELLEKNSQLERENTLLKTLASPEQLEKFSRLSPEEPAPEPETPEAPGGSVA

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: BC028813

ORF Size: 413 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC028813 , AAH28813
RefSeq Size:	1974 bp
RefSeq ORF:	413 bp
Locus ID:	14605
Cytogenetics:	X F1
Gene Summary:	Protects T-cells from IL2 deprivation-induced apoptosis through the inhibition of FOXO3A transcriptional activity that leads to the down-regulation of the pro-apoptotic factor BCL2L11. In macrophages, plays a role in the anti-inflammatory and immunosuppressive effects of glucocorticoids and IL10. In T-cells, inhibits anti-CD3-induced NFKB1 nuclear translocation. In vitro, suppresses AP1 and NFKB1 DNA-binding activities (By similarity). Isoform 1 and isoform 4 inhibit myogenic differentiation and mediate anti-myogenic effects of glucocorticoids by binding and regulating MYOD1 and HDAC1 transcriptional activity resulting in reduced expression of MYOG.[UniProtKB/Swiss-Prot Function]