

## Product datasheet for **MG200907**

### C1d (NM\_020558) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** C1d (NM\_020558) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** C1d  
**Synonyms:** 1110036E10Rik; AI875855; SUN-CoR  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG200907 representing NM\_020558  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCAGGTGAAGAAATGAATGAAGATTATCCCGTAGAAATTCACGAGTCTTTAACAGCCCTGGAGAGCT  
CCCTGGGTGCTGTGGATGACATGCTGAAGACCATGATGGCTGTTTCTAGAAATGAGTTGTTGCAGAAAGT  
GGACCCATTGGAACAAGCAAAGGTGGATTTAGTTTCTGCATACACCTTAAATCAATGTTTTGGGTTTAT  
TTGGCAACTCAAGGAGTTAATCCCAAAGAGCATCCAGTGAAGCAGGAAGTGGAAAGAATCAGAGTCTACA  
TGAACAGAGTTAAAGAAATAACAGACAAGAAGAAGGCTGCCAAGCTGGACAGAGGTGCTGCTTCGAGATT  
TGTC AAGAACGCACTCTGGGAACCCAAAGCAAAAAGCACACCAAAAAGTGGCTAATAAAGGAAAAGCAAA  
CAC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG200907 representing NM\_020558  
Red=Cloning site Green=Tags(s)

MAGEEMNEDYPVEIHESLTALESSLGAVDDMLKTMMAVSRNELLQKLDPLEQAKVDLVSAITLNSMFWVY  
LATQGVNPKVKEHPVKELEIRVYMNRVKEITDKKKAALKDRGAASRFVKNALWEPKAKSTPKVANKGKSK  
H

**TRTRPLE** - GFP Tag - V

**Restriction Sites:** Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM\_020558

ORF Size: 423 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

|                               |   |
|-------------------------------|---|
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol> |
| <b>RefSeq:</b>                | <u>NM_020558.2, NP_065583.2</u>   |
| <b>RefSeq Size:</b>           | 2958 bp   |
| <b>RefSeq ORF:</b>            | 426 bp  |
| <b>Locus ID:</b>              | 57316   |
| <b>UniProt ID:</b>            | <u>O35473</u>   |
| <b>Cytogenetics:</b>          | 11 A2   |
| <b>Gene Summary:</b>          | Plays a role in the recruitment of the RNA exosome complex to pre-rRNA to mediate the 3'-5' end processing of the 5.8S rRNA; this function may include MPHOSPH6. Can activate PRKDC not only in the presence of linear DNA but also in the presence of supercoiled DNA. Can induce apoptosis in a p53/TP53 dependent manner. May regulate the TRAX/TSN complex formation. Potentiates transcriptional repression by NR1D1 and THRB (By similarity). [UniProtKB/Swiss-Prot Function]                               |