

Product datasheet for **MG200971**

Atp5g2 (NM_026468) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Atp5g2 (NM_026468) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Atp5g2
Synonyms: 1810041M08Rik
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG200971 representing NM_026468
Red=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTACGCCTGCTCCAAGTTCGTCTCTACCCGCTCCCTGATCAGGAGCACCTCTCTCAGGAGCACCTCTC
AGCTGCTGAGTCGTCCTACTGTCTGCAGTGGAGTTGAAGCGACCACAGATGCCAACAGATGAGAGCCTCAG
CAGCTTGGCGGTCCGGCGCCTCTGACTTCACTTATCCCTAGCCGCGAGTTCCAAACCAGCGCCATTTCA
AGGGACATCGACACAGCTGCCAAGTTCATTGGAGCTGGGGCTGCGACAGTTGGGGTGGCTGGCTCTGGGG
CAGGGATTGGGACTGTTTTGGGAGTCTTATCATTGGCTATGCCAGGAACCTTCTCTGAAGCAACAACCT
CTTCTCTACGCGATTCTGGGCTTTCCTCTCAGAGGCCATGGGGCTCTTTGCCTAATGGTGGCCTTT
CTCATCTCTTCGCCATG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG200971 representing NM_026468
Red=Cloning site **Green**=Tags(s)

MYACSKFVSTRSLIRSTSLRSTSQLSRPLSAVELKRPQMPTDESSLAVRRPLTSLIPSRFQTSIAIS
RDIDTAAKFIGAGAATVGVAGSGAGIGTVFGSLIIGYARNPSLKQQLFSYAILGFALSEAMGLFCLMVAFL
LILFAM

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM_026468

ORF Size: 438 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_026468.1, NP_080744.1</u>
RefSeq Size:	648 bp
RefSeq ORF:	441 bp
Locus ID:	67942
UniProt ID:	<u>P56383</u>
Cytogenetics:	15 F3
Gene Summary:	Mitochondrial membrane ATP synthase (F(1)F(0) ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F(1) - containing the extramembraneous catalytic core and F(0) - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F(1) is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F(0) domain. A homomeric c-ring of probably 10 subunits is part of the complex rotary element. [UniProtKB/Swiss-Prot Function]