

Product datasheet for **MG201239**

Bcas2 (BC023382) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Bcas2 (BC023382) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Bcas2
Synonyms: MGC7712
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG201239 representing BC023382
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAGAAATGAATTTGAAAGACTCGCTGCTCGACAACCGATTGAATTACTCAGCATGAAACGATATGAAC
 TTCCAGCCCTTCTCAGGTCAAAAAATGACATTACTGCATGGCAAGAATGTGTAACAATTCTATGGC
 TCAGTTGGAGCACCAGGCGGTCCGGATCGAGAATCTGGAGCTGATGTCACAGCATGGATGCAATGCCTGG
 AAGGTGTACAATGAAAATCTTGTTTCATATGATTGAACATGCACAGAAAGAGCTTCAGAAGTTAAGGAAAC
 ATATTCAGATTTGAACTGGCAGCGAAAGAACATGCAGCTTACAGCTGGATCTAAGCTGAGAGAAATGGA
 GTCAAACCTGGGTGTCGCTGGTGAAGAACTATGAGATTGAGCGGACGATTGTCCAGCTGGAGAACGAG
 ATCTATCAGATCAAGCAGCAGCAGCGGGAGGCCAACAAGGAAAACATCCGCCAAGACTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG201239 representing BC023382
 Red=Cloning site Green=Tags(s)

MRNEFERLAARQPIELLSMKRYELPAPSSGQKNDITAWQECVNNNSMAQLEHQAVRIENLELMSQHGCNAW
 KYVYENLVHMIIEHAQKELQKLRKHIQDLNWQRKNMQLTAGSKLREMESNWVSLVSKNYEIERIVQLENE
 IYQIKQQHGEANKENIRQDF

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI



Cloning Scheme:



ACCN: BC023382

ORF Size: 480 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC023382.1](#)

RefSeq Size: 1407 bp

RefSeq ORF: 482 bp


Locus ID: 68183

Cytogenetics: 3 F2.2

Gene Summary:

Required for pre-mRNA splicing as component of the activated spliceosome. Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing. May have a scaffolding role in the spliceosome assembly as it contacts all other components of the core complex. The PRP19-CDC5L complex may also play a role in the response to DNA damage (DDR).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG201239