

Product datasheet for MG201274

Il15 (NM_008357) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: II15 (NM_008357) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: II15

Synonyms: Al503618; IL-15

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG201274 representing NM_008357

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAAAATTTTGAAACCATATATGAGGAATACATCCATCTCGTGCTACTTGTGTTTCCTTCTAAACAGTC ACTTTTTAACTGAGGCTGCATTCATGTCTTCATTTTGGGCTGTGTCAGTGTAGGTCTCCCTAAAACAGA GGCCAACTGGATAGATGTAAGATATGACCTGGAGAAAATTGAAAGCCTTATTCAATCTATTCATATTGAC ACCACTTTATACACTGACAGTGACTTTCATCCCAGTTGCAAAGTTACTGCAATGAACTGCTTTCTCCTGG AATTGCAGGTTATTTTACATGAGTACAGTAACAGTAACATGACTCTTAATGAAACAGTAAGAAACGTGCTCTACCT TGCAAACAGCACTCTGTCTTCTAACAAGAATGTAGCAGAATCTGGCTGCAAGGAATGTGAGGAGCTGGAG GAGAAAACCTTCACAGAGGTTTTTTGCAAAGCTTTTATACGCATTGTCCAAATGTTCATCAACACGTCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG201274 representing NM_008357

Red=Cloning site Green=Tags(s)

MKILKPYMRNTSISCYLCFLLNSHFLTEAGIHVFILGCVSVGLPKTEANWIDVRYDLEKIESLIQSIHID TTLYTDSDFHPSCKVTAMNCFLLELQVILHEYSNMTLNETVRNVLYLANSTLSSNKNVAESGCKECEELE

EKTFTEFLQSFIRIVQMFINTS

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_008357

ORF Size: 486 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customer.com or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 008357.2

RefSeq Size: 1250 bp **RefSeq ORF:** 489 bp

 Locus ID:
 16168


 UniProt ID:
 P48346

 Cytogenetics:
 8 39.33 cM

Gene Summary:

This gene encodes a a pleiotropic cytokine of the interleukin family of proteins that plays important roles in the innate and adaptive cell homeostasis, as well as peripheral immune function. The encoded protein undergoes proteolytic processing to generate a mature cytokine that stimulates the proliferation of natural killer cells. The transgenic mice overexpressing the encoded protein exhibit an increase in the number of memory CD8+ T cells in a naive state and enhanced protection against bacterial infections. Mice lacking the encoded protein exhibit impaired protection against a strain of attenuated Mycobacterium. [provided by RefSeq, Aug 2016]

Product images:



Circular map for MG201274