

Product datasheet for MG201525

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Tprkb (NM 176842) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tprkb (NM_176842) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Tprkb

Synonyms: 0610033G21Rik; 1810034M08Rik; Cgi-121; DRWMS1; mDRWMS1

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG201525 representing NM_176842

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CTATCATTTGTAGAATGTCAACGAAGGATGTTTTA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG201525 representing NM_176842

Red=Cloning site Green=Tags(s)

MQLSQQLDLFPECRVTLLLFKDVKNAGDLRKKAMEGSIDGSLINPNVIVDPFQILVAANKAVHLHRLGKM KTRTLSTEIIFNLSPNNNISEALKKFGISETNTSVLIVYIEDGSKQVPQEHLVSQVEGQQVPLESLPEIT

RLSEVKKIYKLSSQEERIGTLLDAIICRMSTKDVL


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





Plasmid Map:



ACCN: NM_176842

ORF Size: 525 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

ORIGENE

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 176842.3

RefSeq Size: 2126 bp RefSeq ORF: 528 bp Locus ID: 69786 **UniProt ID:** Q8QZZ7 Cytogenetics: 6 C3

Gene Summary: Component of the EKC/KEOPS complex that is required for the formation of a

threonylcarbamoyl group on adenosine at position 37 (t(6)A37) in tRNAs that read codons

beginning with adenine. The complex is probably involved in the transfer of the

threonylcarbamoyl moiety of threonylcarbamoyl-AMP (TC-AMP) to the N6 group of A37. TPRKB acts as an allosteric effector that regulates the t(6)A activity of the complex. TPRKB is

not required for tRNA modification.[UniProtKB/Swiss-Prot Function]