

Product datasheet for **MG201576**

Rpl11 (NM_025919) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Rpl11 (NM_025919) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Rpl11
Synonyms: 2010203J19Rik
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG201576 representing NM_025919
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAAACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCGCAAGATCAAGGGGAAAAGGAGAACCCCATGCGGGAAGTGCATCCGCAAGCTCTGCCTCAATA
 TCTGCGTCGGGGAGAGCGGAGACAGACTGACCCGGGCAGCCAAGGTGTTGGAGCAGCTCACAGGCCAGAC
 CCCGGTGTCTCCAAAGCTAGATACACTGTCAGGTCCTTTGGCATCCGGAGAAATGAGAAGATTGCTGTT
 CACTGCACAGTCCGCGGAGCCAAGGCAGAGGAAATCTGGAGAAAGGCCTGAAGGTGCGGGAGTATGAGT
 TCGGAAAAATAACTTCTCGGATACTGGAACTTTGGTTTGGAAATCAAGAACACATTGACCTGGGCAT
 CAAATACGACCCAAGCATTGGGATCTACGCGCTGGACTTCTATGTGGTGCTGGGTAGGCCAGGGTTCAAGC
 ATCGCAGACAAGAAGCGCAGAACAGGCTGATTGGGGCCAAACACAGAATCAGCAAGGAGGAGGCCATGC
 GCTGGTTCAGCAGAAGTACGATGGAATCATCCTTCTCGGAAAA

A**CGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG201576 representing NM_025919
 Red=Cloning site Green=Tags(s)

MAQDQGEKENPMRELRIKRLCLNICVGESGDRLTRAARKVLEQLTGQTPVFSKARYTVRSFGIRRNEKIAV
 HCTVRGAKAEIILEKGLKVREYELRKNNFSDTGNFGFIQEHIDLGIKYDPSIGIYGLDFYVVLGRPGFS
 IADKKRRTGCIGAKHRISKEAMRWFQKYDGIILPGK

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI


[View online »](#)

Cloning Scheme:



ACCN:	NM_025919
ORF Size:	534 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_025919.3
RefSeq Size:	596 bp
RefSeq ORF:	537 bp
Locus ID:	67025

UniProt ID: [Q9CXW4](#)

Cytogenetics: 4 D3

Gene Summary: Component of the ribosome, a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell. The small ribosomal subunit (SSU) binds messenger RNAs (mRNAs) and translates the encoded message by selecting cognate aminoacyl-transfer RNA (tRNA) molecules. The large subunit (LSU) contains the ribosomal catalytic site termed the peptidyl transferase center (PTC), which catalyzes the formation of peptide bonds, thereby polymerizing the amino acids delivered by tRNAs into a polypeptide chain. The nascent polypeptides leave the ribosome through a tunnel in the LSU and interact with protein factors that function in enzymatic processing, targeting, and the membrane insertion of nascent chains at the exit of the ribosomal tunnel. As part of the 5S RNP/5S ribonucleoprotein particle it is an essential component of the LSU, required for its formation and the maturation of rRNAs. It also couples ribosome biogenesis to p53/TP53 activation. As part of the 5S RNP it accumulates in the nucleoplasm and inhibits MDM2, when ribosome biogenesis is perturbed, mediating the stabilization and the activation of TP53 (PubMed:21804542). Promotes nucleolar location of PML (PubMed:15195100).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG201576