

Product datasheet for MG201787

Selenos (NM_024439) Mouse Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Selenos (NM_024439) Mouse Tagged ORF Clone
Symbol:	Selenos
Synonyms:	1500011E07Rik; C78786; H-4; H-47; H4; H47; Se; Sels; Seps1; V; Vimp
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>MG201787 representing NM_024439 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC
	ATGGATCGCGATGAGGAACCTCTGTCTCCGAGGCCGGCGCTGGAGACCGAGAGCCTGCGATTCCTGCACG TGACAGTGGGCTCCCTGCTGGCCAGCTATGGCTGGTACATCCTCTTCAGCTGCATCCTACATTGT CATCCAGAGGCTCTCCCTTCGACTGAGGGCTTTGAGGCAGAGACAGCTGGACCAAGCCGAGACTGTTCTG GAACCTGATGTTGTTGTTAAGCGACAAGAGGCTTTAGCAGCTGCTCGTTTGAGAATGCAGGAAGATCTAA ATGCCCAAGTTGAAAAACATAAGGAAAAACTAAGACAGCTTGAAGAAGAAAAAAGAAGACAGAAGATTGA AATGTGGGACAGCATGCAAGAAGGCAGAAGTTACAAAAGAAAATTCAGGAAGGCCTCAGGAAGAAGATGGT CCTGGACCTTCTACTTCATCTGTCATCCCCAAAGGAAAATCTGACAAAAAGCCTTTGCGAGGAGGAGGTGGTT ATAACCCTCTGACGGGTGAAGGGGGGGGAACCTGCTCCTGGAGACCTGGACGCAGGGGGCCCATCATCTGG TGGA
Protein Sequence:	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA >MG201787 representing NM_024439 Red=Cloning site Green=Tags(s)
	MDRDEEPLSPRPALETESLRFLHVTVGSLLASYGWYILFSCILLYIVIQRLSLRLRALRQRQLDQAETVL EPDVVVKRQEALAAARLRMQEDLNAQVEKHKEKLRQLEEEKRRQKIEMWDSMQEGRSYKRNSGRPQEEDG PGPSTSSVIPKGKSDKKPLRGGGYNPLTGEGGGTCSWRPGRRGPSSGG
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



* The last codon before the Stop codon of the ORF


ACCN:	NM_024439
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> The expression of this clone is not guaranteed due to the nature of selenoproteins.
OTI Annotation:	This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is encoded by UGA codon, which normally signals translational termination. Expression of this clone is not guaranteed due to the nature of selenoproteins.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 024439.2</u>
RefSeq Size:	1208 bp
RefSeq ORF:	573 bp
Locus ID:	109815

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Selenos (NM_024439) Mouse Tagged ORF Clone – MG201787
UniProt ID:	<u>Q9BCZ4</u>
Cytogenetics:	7 35.49 cM
Gene Summary:	This gene encodes a transmembrane protein that is localized in the endoplasmic reticulum (ER). It is involved in the degradation process of misfolded proteins in the ER, and may also have a role in inflammation control. This protein is a selenoprotein, containing the rare amino acid selenocysteine (Sec). Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Two additional phylogenetically conserved stem-loop structures (Stem-loop 1 and Stem-loop 2) in the 3' UTR of this mRNA have been shown to function as modulators of Sec insertion (PMID:23614019). Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2017]

Product images:

~ 火



Circular map for MG201787

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US