

Product datasheet for **MG202276**

Hmgb2 (BC002050) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Hmgb2 (BC002050) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Hmgb2
Synonyms: C80539; HMG-2; Hmg2
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG202276 representing BC002050
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGGCAAGGGTGACCCCAACAAGCCGCGGGGCAAAATGTCCTCGTACGCCTTCTCGTGCAGACCTGCC
 GCGAGGAGCACAAGAAGAAGCATCCCGACTCGTCGGTGAACCTCGCCGAGTTCTCCAAGAAATGCTCCGA
 GAGATGGAAGACCATGTCTGCAAAGGAAAAGTCCAAGTTGAAGATTTGGCCAAGAGCGACAAGCTCGT
 TATGACAGGGAGATGAAGAACTATGTTCTCCAAAGGGGATAAGAAAGGAAAGAAAAAGACCCCAATG
 CTCGAAGAGACCACCGTCTGCCTTCTCTGTTTTGCTCTGAAAATCGCCCAAAGATCAAATTTGAACA
 CCCAGGCCTGTCTATTGGAGATACTGCGAAGAACTGGGTGAGATGTGGTCTGAGCAATCTGCCAAAGAT
 AAACAACCGTATGAGCAGAAAGCAGCTAAACTAAAGGAGAAGTATGAAAAGGATATTGCTGCATACCGTG
 CCAAGGGCAAAAGTGAAGCAGGAAAGAAGGGTCTGGTAGCCAAACAGGCTCAAAGAAGAAGAACGAACC
 AGAAGATGAGGAGGAGGAAGAAGAGGAGGAAGAGGAGGAAGATGAAGAGGAAGAAGAGGAGGATGAAGAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG202276 representing BC002050
 Red=Cloning site Green=Tags(s)

MGKGDPNKPRGKMSSYAFFVQTCREEHKKKHPDSSVNF AEF SKKCSERWKTMSAKEKSKFEDLAKSDKAR
 YDREMKNYVPPKGDKKGKKKDPNAPKRPPSAFFLFCSENRPKIKIEHPGLSIGDTAKKLGEMWSEQSAKD
 KQPYEQKA AKLKEKYEKDIAAYRAKGKSEAGKKGPRPTGSKKKNPEDEEEEEEEEEEEEEEEEEDEE

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: BC002050

ORF Size: 632 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC002050](#), [AAH02050](#)

RefSeq Size: 1076 bp


RefSeq ORF: 632 bp

Locus ID: 97165

Cytogenetics: 8 29.9 cM

Gene Summary:

Multifunctional protein with various roles in different cellular compartments. May act in a redox sensitive manner. In the nucleus is an abundant chromatin-associated non-histone protein involved in transcription, chromatin remodeling and V(D)J recombination and probably other processes. Binds DNA with a preference to non-canonical DNA structures such as single-stranded DNA. Can bent DNA and enhance DNA flexibility by looping thus providing a mechanism to promote activities on various gene promoters by enhancing transcription factor binding and/or bringing distant regulatory sequences into close proximity (By similarity). Involved in V(D)J recombination by acting as a cofactor of the RAG complex: acts by stimulating cleavage and RAG protein binding at the 23 bp spacer of conserved recombination signal sequences (RSS) (PubMed:9184213). Proposed to be involved in the innate immune response to nucleic acids by acting as a cytoplasmic promiscuous immunogenic DNA/RNA sensor which cooperates with subsequent discriminative sensing by specific pattern recognition receptors (PubMed:19890330). In the extracellular compartment acts as a chemokine. Promotes proliferation and migration of endothelial cells implicating AGER/RAGE (By similarity). Has antimicrobial activity in gastrointestinal epithelial tissues (By similarity). Involved in inflammatory response to antigenic stimulus coupled with proinflammatory activity (PubMed:25306442). May play a role in germ cell differentiation (PubMed:11262228). Involved in modulation of neurogenesis probably by regulation of neural stem proliferation (PubMed:24391977). Involved in articular cartilage surface maintenance implicating LEF1 and the Wnt/beta-catenin pathway (PubMed:19805379).[UniProtKB/Swiss-Prot Function]

Product images:

Circular map for MG202276