

Product datasheet for MG202348

Tesc (BC107679) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tesc (BC107679) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Tesc

Synonyms: 1010001A17Rik; 2410011K10Rik; TE-1

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202348 representing BC107679

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCCCTCTGCCAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG202348 representing BC107679

Red=Cloning site Green=Tags(s)


MGAAHSASEEVRELEGKTGFSSDQIEQLHRRFKQLSGDQPTIRKENFNNVPDLELNPIRSKIVRAFFDNR NLRKGSSGLADEINFEDFLTIMSYFRSIDTTLGEEQVELSRKEKLKFLFHMYDSDSDGRITLEEYRNVVE ELLSGNPHIEKESARSIADGAMMEAASVCVGQMEPDQVYEGITFEDFLKIWQGIDIETKMHIRFLNMETI ALCH


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: BC107679 **ORF Size:**

642 bp

Tesc (BC107679) Mouse Tagged ORF Clone - MG202348

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC107679.1</u>

 RefSeq Size:
 939 bp

 RefSeq ORF:
 644 bp

 Locus ID:
 57816

Cytogenetics: 5 57.84 cM

Gene Summary: Functions as an integral cofactor in cell pH regulation by controlling plasma membrane-type

Na(+)/H(+) exchange activity. Promotes the maturation, transport, cell surface stability and exchange activity of SLC9A1/NHE1 at the plasma membrane. Promotes the induction of hematopoietic stem cell differentiation toward megakaryocytic lineage. Essential for the coupling of ERK cascade activation with the expression of ETS family genes in megakaryocytic differentiation. Also involved in granulocytic differentiation in a ERK-dependent manner.

Inhibits the phosphatase activity of calcineurin.[UniProtKB/Swiss-Prot Function]