

Product datasheet for MG202525

Gpx6 (NM_145451) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Gpx6 (NM_145451) Mouse Tagged ORF Clone

Symbol: Gpx6

Synonyms: 1700020G18Rik; olfa; olfactory; Ry2d1

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202525 representing NM_145451

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCCAGAAGTTGTGGGGTTCCTGTCTTTTCTCATTGTTTATGGCTGCCTTAGCTCAGGAGACTCTGA
ATCCTCAAAAATCGAAGGTGGATTGCAACAAAAGGGGTGACTGGCACCGTCTATGAGTATGGAGCCAACAC
CATAGATGGTGGGGGGTTTGTCAACTTCCAGCAGTATGCAGGAAAGCACATCCTCTTTTGTCAACGTGGCA
TCCTTCTGTGGCCTGACAGCTACCGTACCCTGAGTTGAACACACTGCAGGAGGAGCTGAAGCCATTCAACG
TCACGGTTTTGGGCTTTCCGTGCAACCAGTTCGGAAAGCCAGTCCTGGAAAGAACTCAGAGATTCTCCT
TGGACTCAAGTATGTGCGTCCAGGCGGTGGCTATGTCCCCAATTTCCAGCTCTTTGAGAAGGGGGATGTG
AACGGAGACAATGAACAAAAGGTTTTTTCTTTCCTAAAGAACTCCTGCCCTCCCACCTCTGAACTTTTTG
GCTCTCCAGAACATCTCTTCTGGGATCCCATGAAGATTCATGATATCCGCTGGAACTTTGAGAAGTTCCT
GGTGGGACCTGATGGAGTCCCTGTCATGCGCTGGTTCCACCATACTCCTGTCAGAATTGTCCAGTCAGAC

ATCATGGAGTACCTAAACCAAACCAGTACCCAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG202525 representing NM_145451

Red=Cloning site Green=Tags(s)

MAQKLWGSCLFSLFMAALAQETLNPQKSKVDCNKGVTGTVYEYGANTIDGGGFVNFQQYAGKHILFVNVA SFCGLTATYPELNTLQEELKPFNVTVLGFPCNQFGKQEPGKNSEILLGLKYVRPGGGYVPNFQLFEKGDV NGDNEQKVFSFLKNSCPPTSELFGSPEHLFWDPMKIHDIRWNFEKFLVGPDGVPVMRWFHHTPVRIVQSD

IMEYLNQTSTQ

TRTRPLE - GFP Tag - V



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites:


Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf1 ORF Miu I

--- GCGATCGC C ATG ---//--- NEN ACG CGT ---



^{*} The last codon before the Stop codon of the ORF

ACCN: NM 145451

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info The expression of this clone is not

guaranteed due to the nature of selenoproteins.

OTI Annotation: This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is

encoded by UGA codon, which normally signals translational termination. Expression of this

clone is not guaranteed due to the nature of selenoproteins.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 145451.2

RefSeq Size: 1324 bp RefSeq ORF: 666 bp



Cytogenetics:


Locus ID: 75512 **UniProt ID: Q91WR8**

13 A3.1 **Gene Summary:** This gene encodes a member of the glutathione peroxidase family. Glutathione peroxidases

catalyze the reduction of a variety of hydroperoxides using glutathione as a specific electron donor substrate, and thereby protect cells against oxidative damage. Expression of this gene is restricted to embryos and adult olfactory epithelium. The mouse and rat orthologs contain a cysteine (Cys) residue at the active site, unlike the human counterpart, which is a

selenoprotein, containing selenocysteine (Sec) instead. [provided by RefSeq, Jul 2017]

Product images:



Circular map for MG202525