

Product datasheet for MG202540

Tbn (BC057895) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tbn (BC057895) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Tbn

Synonyms: AW260255; Tbn

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202540 representing BC057895

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TTGATCTCTGACCAGCATTTGATTAAAGCACCG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG202540 representing BC057895


Red=Cloning site Green=Tags(s)


MADTAAGPGGSGTRPGSKQSTNPADNYHLARRRTLQVVVSSLLTEAGFESAEKASVETLTEMLQSYISEI GRSAKSYCEHTARTQPTLSDIVVTLVEMGFNVDTLPAYAKRSQRMVITAPPVTNQPVTPKALTAGQNRPH PPHIPSHFPEFPDPHTYIKTPTYREPVSDYQILREKAASQRRDVERALTRFMAKTGETQSLFKDDVSTFP LISDQHLIKAP

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: BC057895

ORF Size: 665 bp

Tbn (BC057895) Mouse Tagged ORF Clone - MG202540

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC057895</u>, <u>AAH57895</u>

RefSeq Size: 1618 bp
RefSeq ORF: 665 bp
Locus ID: 63856
Cytogenetics: 17 C

Gene Summary: Transcription factor TFIID is one of the general factors required for accurate and regulated

initiation by RNA polymerase II. Mediates both basal and activator-dependent transcription. Plays a role in the differentiation of preadipocyte fibroblasts to adipocytes, however does not seem to play a role in differentiation of myoblasts. Required for the integration of TAF10 in the TAF complex (By similarity). May be important for survival of cells of the inner cell mass which constitute the pluripotent cell population of the early embryo.[UniProtKB/Swiss-Prot

Function]