

## Product datasheet for **MG202555**

### Plaur (BC010309) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Plaur (BC010309) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Plaur  
**Synonyms:** u-PAR, uPAR, Cd87  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG202555 representing BC010309  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGGACTCCCAAGGCGGCTGCTGCTGCTGCTGTTGCTGGCGACTACCTGTGTCCAGCCTCCAGGGCC  
TGCAGTGCATGCAGTGTGAGAGTAACCAGAGCTGCCTGGTAGAGGAGTGTGCTCTGGCCAGGACCTCTG  
CAGGACTACCGTGCTTCGGGAATGGCAAGATGATAGAGAGCTGGAGGTGGTGACAAGAGGCTGTGCCAC  
AGCGAAAAGACCAACAGGACCATGAGTTACCGCATGGGCTCCATGATCATCAGCCTGACAGAGACCGTGT  
GCGCCACAAACCTCTGCAACAGGCCAGACCCGGAGCCCGAGGCGGTGCTTCCCCAGGGCCGTTACCT  
CGAGTGTGCGTCTGCACCTCTTTGGACCAGAGCTGTGAGAGGGCCGGGAGCAAAGCCTGCAATGCCGC  
TATCCTACAGAGCACTGTATTGAAGTGGTGACCTCCAGAGCACAGAAAGTAAGCTCCCATCTGCTGGGC  
AACTCCTAGTAGAGATCTTCAAGTCTGGGAGCAGAGCGCAAGCAAGAGACAACCTGAATCCACACACAGT  
CACGGGACCAACATTCTCAGTACTGGAAGTCCCAGTACTGGATCAGCTTGGGAGTGACCAGGAACCC  
AGCTACCTTATCATGTCTCCATATTGCTTTCGTTTC

**ACGCGTACGCGGGCCGCTCGAG** - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >MG202555 representing BC010309  
 Red=Cloning site Green=Tags(s)

MGLPRLLLLLLLLLATTCPASQGLQCMQCESNQSCLVEECALGQDLCRTTVLREWQDDRELEVVTRGCAH  
 SEKTNRTMSYRMGSMIISLTETVCATNLCNRPRPGARGRAFPQGRYLECASCTSLDQSCERGREQSLQCR  
 YPTEHCIEVVTLQSTESKLPASAGQLLVEIFKSWEQSASKRQLNPHTVTGPTFSVTGSSRSLDQLGSDQEP  
 SYLIMSPILLSF


TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** BC010309

**ORF Size:** 668 bp

<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">BC010309</a>
<b>RefSeq Size:</b>	2076 bp
<b>RefSeq ORF:</b>	668 bp
<b>Locus ID:</b>	18793
<b>Cytogenetics:</b>	7 A3
<b>Gene Summary:</b>	Acts as a receptor for urokinase plasminogen activator. Plays a role in localizing and promoting plasmin formation. Mediates the proteolysis-independent signal transduction activation effects of U-PA.[UniProtKB/Swiss-Prot Function]