

Product datasheet for MG202594

Ube2s (NM_133777) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ube2s (NM_133777) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Ube2s

Synonyms: 0910001J09Rik; 6720465F12Rik; AA409170; E2-EPF

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202594 representing NM_133777

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AAGAAAAGTTGGACAAGAAGCGAGCACTGAGGCGACTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG202594 representing NM_133777

Red=Cloning site Green=Tags(s)


MNSNVENLPPHIIRLVYKEVTTLTADPPDGIKVFPNEEDLTDLQVTIEGPEGTPYAGGLFRMKLLLGKDF PASPPKGYFLTKIFHPNVGPNGEICVNVLKRDWTAELGIRHVLLTIKCLLIHPNPESALNEEAGRLLLEN YEEYAARARLLTEIHGGACSTSSGRAEATQDLASGASASSADPMIPGVLGGAEGPMAKKHAGERDKKLAA KKKLDKKRALRRL


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: NM_133777

ORF Size: 669 bp



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 133777.2, NP 598538.1

7 A1

 RefSeq Size:
 988 bp

 RefSeq ORF:
 672 bp

 Locus ID:
 77891

 UniProt ID:
 Q921]4

Cytogenetics:

Gene Summary: Accepts ubiquitin from the E1 complex and catalyzes its covalent attachment to other

proteins. Catalyzes 'Lys-11'-linked polyubiquitination. Acts as an essential factor of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated ubiquitin ligase that

controls progression through mitosis. Acts by specifically elongating 'Lys-11'-linked polyubiquitin chains initiated by the E2 enzyme UBE2C/UBCH10 on APC/C substrates, enhancing the degradation of APC/C substrates by the proteasome and promoting mitotic exit. Also acts by elongating ubiquitin chains initiated by the E2 enzyme UBE2D1/UBCH5 in vitro; it is however unclear whether UBE2D1/UBCH5 acts as an E2 enzyme for the APC/C in vivo. Also involved in ubiquitination and subsequent degradation of VHL, resulting in an

accumulation of HIF1A. In vitro able to promote polyubiquitination using all 7 ubiquitin Lys

residues, except 'Lys-48'-linked polyubiquitination.[UniProtKB/Swiss-Prot Function]