

Product datasheet for MG202617

Prdx6 (NM 007453) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Prdx6 (NM 007453) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Prdx6

Synonyms: 1-cys; 1-Cys Prx; 1-cysPrx; 9430088D19Rik; a; AA690119; aiPLA2; Aop2; Brp-; Brp-12; CP-; CP-3;

GP; GPx; LPCAT-5; Ltw; Ltw-; Ltw-4; Ltw4; Lvtw; Lvtw-4; N; NSGPx; ORF06; Prdx5

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202617 representing NM_007453

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CTCCCGTCTGGCAAAAAATACCTCCGTTATACACCCCAGCCT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG202617 representing NM_007453

Red=Cloning site Green=Tags(s)


MPGGLLLGDEAPNFEANTTIGRIRFHDFLGDSWGILFSHPRDFTPVCTTELGRAAKLAPEFAKRNVKLIA LSIDSVEDHLAWSKDINAYNGETPTEKLPFPIIDDKGRDLAILLGMLDPVEKDANNMPVTARVVFIFGPD KKLKLSILYPATTGRNFDEILRVVDSLQLTGTKPVATPVDWKKGESVMVVPTLSEEEAKQCFPKGVFTKE LPSGKKYLRYTPOP


TRTRPLE - GFP Tag - V

Chromatograms: https://cdn.origene.com/chromatograms/ja3465 a04.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





ACCN: NM_007453

ORF Size: 672 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 007453.4</u>

 RefSeq Size:
 2334 bp

 RefSeq ORF:
 675 bp

 Locus ID:
 11758

 UniProt ID:
 008709

 Cytogenetics:
 1 69.75 cM

Gene Summary: This gene encodes a member of the peroxiredoxin family of peroxidases. The encoded

protein is a bifunctional enzyme that has glutathione peroxidase and phospholipase activities. This protein is an antioxidant that reduces peroxidized membrane phospholipids and plays


an important role in phospholipid homeostasis based on its ability to generate

lysophospholipid substrate for the remodeling pathway of phospholipid synthesis. Mice lacking this gene are sensitive to oxidant stress, have altered lung phospholipid metabolism and susceptible to skin tumorigenesis. Alternate splicing of this gene results in multiple transcript variants. A pseudogene of this gene is found on chromosome 4. [provided by

RefSeq, Dec 2014]



Product images:



Circular map for MG202617