

Product datasheet for **MG202768**

Cldn2 (NM_016675) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cldn2 (NM_016675) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Cldn2
Synonyms:	AL022813
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:




ACCN:	NM_016675
ORF Size:	690 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_016675.4
RefSeq Size:	3042 bp
RefSeq ORF:	693 bp
Locus ID:	12738
UniProt ID:	O88552
Cytogenetics:	X F1
Gene Summary:	This gene encodes a member of the claudin family. Claudins are integral membrane proteins and components of tight junction strands. Tight junction strands serve as a physical barrier to prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets, and also play critical roles in maintaining cell polarity and signal transductions. The knockout mice lacking this gene display normal appearance, activity, growth and behavior, but are defective in the leaky and cation-selective paracellular permeability properties of renal proximal tubules. The proteins encoded by this gene and another family member Cldn12 are also critical for vitamin D-dependent Ca ²⁺ absorption between enterocytes. [provided by RefSeq, Aug 2010]

Product images:



Circular map for MG202768