

Product datasheet for MG202818

Asrgl1 (BC016106) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Asrgl1 (BC016106) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Asrgl1

Synonyms: ALP, ALP1

Mammalian Cell

Selection:

Vector:

pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG202818 representing BC016106

Neomycin

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG202818 representing BC016106


Red=Cloning site Green=Tags(s)

MDASIMDGKDLSAGAVSAVRCIANPVKLARLVMEKTPHCFLTGHGAEKFAEDMGIPQVPVEKLITERTKK HLEKEKLEKGAQNADCPKNSGTVGAVALDCRGNLAYATSTGGIVNKMVGRVGDSPCIGAGGYADNNLGAV STTGHGESILKVNLARLALFHVEQGKTVEEAAQLALDYMKSKLKGLGGLILVNKTGDWVAKWTSASMPWA AVKNGKLQAGIDLCETRTRDLPC


TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul


Cloning Scheme:







Plasmid Map:



ACCN: BC016106

ORF Size: 701 bp

Asrgl1 (BC016106) Mouse Tagged ORF Clone - MG202818

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC016106</u>, <u>AAH16106</u>

RefSeq Size: 1723 bp
RefSeq ORF: 701 bp
Locus ID: 66514
Cytogenetics: 19 A

Gene Summary: Has both L-asparaginase and beta-aspartyl peptidase activity. May be involved in the

production of L-aspartate, which can act as an excitatory neurotransmitter in some brain regions. Is highly active with L-Asp beta-methyl ester. Besides, has catalytic activity toward beta-aspartyl dipeptides and their methyl esters, including beta-L-Asp-L-Phe, beta-L-Asp-L-Phe methyl ester (aspartame), beta-L-Asp-L-Ala, beta-L-Asp-L-Leu and beta-L-Asp-L-Lys. Does not have aspartylglucosaminidase activity and is inactive toward GlcNAc-L-Asn. Likewise, has

no activity toward glutamine.[UniProtKB/Swiss-Prot Function]