

## Product datasheet for **MG203062**

### Ywhaq (BC090838) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ywhaq (BC090838) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ywhaq
Synonyms:	14-3-3theta, RP23-402H11.1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG203062 representing BC090838 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGAAGACCGAGCTGATCCAGAAGGCCAAGCTGGCCGAGCAGGCCGAGCGCTACGACGACATGGCCA  
CCTGCATGAAAGCCGTGACGGAGCAGGGCGCCGAGCTGTCCAACGAGGAGCGCAACCTGCTGTGGTGGC  
CTACAAAACGTGGTAGGGGGCCGAGGTCGCCTGGAGGGTCATCTCGAGCATTGAGCAGAAGACCGAC  
ACCTCTGACAAGAAGTTGCAGCTGATCAAGGACTATCGGGAGAAAGTGGAGTCGGAGCTGAGGTCCATCT  
GCACCACGGTCTGGAATTGTTGGATAAGTATTTAATAGCCAATGCAACTAATCCAGAGAGTAAGGTCTT  
CTATCTGAAAATGAAGGGAGATTATTTCCGGTATCTTGCTGAAGTAGCTTGTTGGCGATGATCGAAAACAA  
ACAATAGAAAATCCCAAGGAGCCTACCAAGAGGCGTTTGATATAAGCAAGAAGGAGATGCAACCTACGC  
ATCCAATCCGCCTGGGGCTGGCTCTTAACTTTTCTGTATTTACTATGAGATCCTTAATAATCCAGAGCT  
TGCTGACACTGGCTAAAACGGCTTTTGATGAGGCCATCGCAGAGCTTGATACACTGAACGAAGACTCC  
TACAAAGACAGCACCTCATCATGCAGTTGCTTAGAGACAACCTAACATTATGGACATCAGACAGTGCAG  
GAGAAGAATGTGATGCAGCAGAGGGGGCCGAAAAC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >MG203062 representing BC090838  
Red=Cloning site Green=Tags(s)

MEKTELIQKAKLAEQAERYDDMATCMKAVTEQGAELSNEERNLLSVAYKNVVGRRSAWRVISSIEQKTD  
 TSDKKLQLIKDYREKVESELRSICTTVLELLDKYLIANATNPESKVFYLMKMGDYFRYLAEVACGGDRKQ  
 TIENSQGAYQEAFDISKKEMQPTHPIRLGLALNFSVFYIEILNNPELACTLAKTAFDEAIAELDTLNEDS  
 YKDSTLIMQLLRDNLTLWTSDSAGEECDAAEGAEN

TRTRPLE - GFP Tag - V


**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**



**ACCN:** BC090838

**ORF Size:** 737 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">BC090838</a> , <a href="#">AAH90838</a>
<b>RefSeq Size:</b>	2130 bp
<b>RefSeq ORF:</b>	737 bp
<b>Locus ID:</b>	22630
<b>Cytogenetics:</b>	12 A1.3
<b>Gene Summary:</b>	Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways. Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of the activity of the binding partner. Negatively regulates the kinase activity of PDPK1 (By similarity).[UniProtKB/Swiss-Prot Function]