

Product datasheet for MG203083

Mdfi (BC085233) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mdfi (BC085233) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Mdfi

Synonyms: I-mf; I-mfa

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG203083 representing BC085233

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGATATGCATGGAGTGCTGTGGACTCTGTTTCTCCTCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG203083 representing BC085233

Red=Cloning site Green=Tags(s)


MSQVSGQCPSRCDAPHGVPSAALDPAQTMSLLPGLEVARSTHPVEASSEEGFPEEAAPSMPHDSGLRAQQ ALNSIDLDVPTEAVTCQPQGNPQGCTPLLPNGSSHDHLSEPGSAGHAGNGALGGSKAHRKLQTHPSLGSQ AGRKSRGSARSASQVPLQAQEDCCVHCILSCLFCEFLTLCNILLDCATCGSCSSEDSCLCCCCCGSGECA DCDLPCDLDCGIVDACCESADCLEICMECCGLCFSS


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: BC085233

ORF Size: 740 bp

Mdfi (BC085233) Mouse Tagged ORF Clone - MG203083

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>BC085233</u>, <u>AAH85233</u>

RefSeq Size: 1725 bp RefSeq ORF: 740 bp Locus ID: 17240

Cytogenetics: 17 23.99 cM

Gene Summary: Inhibits the transactivation activity of the Myod family of myogenic factors and represses

myogenesis. Acts by associating with Myod family members and retaining them in the cytoplasm by masking their nuclear localization signals. Can also interfere with the DNA-binding activity of Myod family members. Plays an important role in trophoblast and chondrogenic differentiation. Regulates the transcriptional activity of TCF7L1/TCF3 by interacting directly with TCF7L1/TCF3 and preventing it from binding DNA. Binds to the axin complex, resulting in an increase in the level of free beta-catenin. Affects axin regulation of

the WNT and JNK signaling pathways.[UniProtKB/Swiss-Prot Function]