

Product datasheet for MG203099

Hexim1 (BC022111) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hexim1 (BC022111) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Hexim1

Synonyms: HIS1, CLP-1

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG203099 representing BC022111

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Hexim1 (BC022111) Mouse Tagged ORF Clone - MG203099

Protein Sequence: >MG203099 representing BC022111

Red=Cloning site Green=Tags(s)


MSESLVQPGHDSEATKQEAPAAGGEEPWGQQQRQLGKKKHRRRPSKKKRHWKPYYKLTWEEKKKFDEKQS LRASRVRAEMFAKGQPVAPYNTTQFLMDDHDQEEPDLKTGLYPKRAAAKSDDTSDEDFVEEAGEEDGGSD GMGGDGSEFLQRDFSETYERYHAESLQNMSKQELIKEYLELEKCLSRKEDENNRLRLESKRLGGVDARVR ELELELDRLRAENLQLLTENELHRQQERAPLSKFGD


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





ACCN: BC022111 **ORF Size:** 740 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


RefSeq: <u>BC022111</u>, <u>AAH22111</u>

RefSeq Size: 1488 bp
RefSeq ORF: 740 bp
Locus ID: 192231
Cytogenetics: 11 E1

Gene Summary:

Transcriptional regulator which functions as a general RNA polymerase II transcription inhibitor. In cooperation with 7SK snRNA sequesters P-TEFb in a large inactive 7SK snRNP complex preventing RNA polymerase II phosphorylation and subsequent transcriptional elongation. May also regulate NF-kappa-B, ESR1, NR3C1 and CIITA-dependent transcriptional activity. Plays a role in the regulation of DNA virus-mediated innate immune response by assembling into the HDP-RNP complex, a complex that serves as a platform for IRF3 phosphorylation and subsequent innate immune response activation through the cGAS-STING pathway.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG203099