

## Product datasheet for **MG203565**

### Srsf5 (NM\_001079695) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Srsf5 (NM_001079695) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Srsf5
Synonyms:	Sfrs5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG203565 representing NM_001079695 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAGTGGCTGTCGAGTGTTCATTGGGAGACTAAATCCAGCAGCGAGGGAGAAAGATGTGGAAAGATTCT  
TCAAGGGTTACGGACGGATCCGAGATATTGACTTGAAAAGAGTTTTGGTTTTGTGGAATTTGAGGACCC  
AAGGGATGCAGATGATGCTGTTTATGAACCTTGATGGGAAGGAACTTTGCAGTGAAAGGGTGACGATTGAA  
CATGCCCGGGCTCGTCTCGAGGTGGAAGAGGTAGAGGACGATACTCCGACCGTTTTAGCAGTCGCAGAC  
CTCGAAATGATAGACGAAATGCTCCACCTGTAAGAACAGAAAATCGACTTATAGTTGAGAATTTATCCTC  
AAGAGTCAGCTGGCAGGATCTCAAAGATTTTCATGAGACAAGCTGGGGAAGTAACCTTTGCGGATGCACAT  
CGACCTAAACTAAATGAAGGGTAGTTGAGTTGCCTCTTATGGTGACTTAAAGAATGCTATTGAGAAAC  
TTTCTGAAAAGGAAATTAACGGGAGAAAATCAAATTAATTGAAGGCAGCAAAAGGCACAGGTCAAGAAG  
CAGGTCACGATCTCGGACCAGAAGTTCTCTAGGTCCCGTAGCCGATCCCGTTCACGAAGGAGCAAGTCT  
TACAGCCGATCAAGGAGCAGGAGCCGGAGCCGGAGCAAGTCCCGTTCTGGTAGTAGGTCTCCTGTGCCTG  
AGAAGAGCCAGAAACGTGGTTCTTCGAGTAGATCTAAATCTCCAGCATCTGTGGATCGCCAGAGGTCCCG  
ATCCCGTCCAGGTCCAGATCAGTTGACAGTGGCAAT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >MG203565 representing NM\_001079695  
 Red=Cloning site Green=Tags(s)


MSGCRVFIGRLNPAAREKDVERFFKGYGRIRDIDLKRGFGFVEFEDPRDADDAVYELDGKELCSERVITIE  
 HARARSRGGRRGRYSDRFSSRRPRNDRRNAPPVRTENRLIVENLSSRVSWQDLKDFMRQAGEVTFADAH  
 RPKLNEGVVVEFASYGDLKNAIEKLSGKEINGRKIKLIEGSKRHRSSRSRSRTRSSRSRSRSRSRSRSKS  
 YSRSSRSRSRSKSRGSRSPVPEKSQKRGSSRSKSPASVDRQSRSSRSRSRSVDSGN

TRTRPLE - GFP Tag - V


**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**



**ACCN:** NM\_001079695

**ORF Size:** 807 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001079695.2</a>
<b>RefSeq Size:</b>	1662 bp
<b>RefSeq ORF:</b>	810 bp
<b>Locus ID:</b>	20384
<b>UniProt ID:</b>	<a href="#">O35326</a>
<b>Cytogenetics:</b>	12 D1
<b>Gene Summary:</b>	The protein encoded by this gene is a member of the serine/arginine (SR)-rich family of pre-mRNA splicing factors, which constitute part of the spliceosome. Each of these factors contains an RNA recognition motif (RRM) for binding RNA and an RS domain for binding other proteins. The RS domain is rich in serine and arginine residues and facilitates interaction between different SR splicing factors. In addition to being critical for mRNA splicing, the SR proteins have also been shown to be involved in mRNA export from the nucleus and in translation. [provided by RefSeq, Nov 2016]