

Product datasheet for **MG203900**

4930579E17Rik (BC096030) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	4930579E17Rik (BC096030) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	4930579E17Rik
Synonyms:	4930579E17Rik; AV040780
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG203900 representing BC096030 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGAGCCTGGGCGTGCAGCAGGCCCGCTGAGCCTGGGCATTGCGTGAGCGGCCCGGGCGCGGGCT
CAGCGTCCCAGGAGTCCCCTGTTCGTCGCTGGGGCGGAGCCCGGAACCGCCCTGGAACCGTGGCCGC
CGTGCTGCCGGCTGGGGTTGCGGGAAAGGATGGGCGTCCGCACCCGAAGCAGTTCTGCCGGTTCTG
GAAAGGCCGCTCATCAGCTACACTTTCAGGCTATGGAGAGAGTATGCTGGATAAAGGACATTGTTGTGA
CAGTGACAGGGGAGAACATGGAAGCAATGAGAAGTATCATCCAGAGGTATGGGCATAAGCGCATCTCACT
AGCTGAGGCTGGAGCCACGCGCCACAGATCAATTTTCAATGGACTGAAAGCCCTGGCAGAAGATCAGCCA
GACTGTAAACTACTAAGCCAGAAGTGGTGATTATCCATGACGCCGTGAGACCTTTTGTGAGGAAGATA
TCCTCCTGAGAGTTGTCTTAGCAGCTAAGGAACATGGGGCAGCAGGAGCAATTCGACCTCTGGTGTCCAC
TGTTCATCAGTCCCCTGCTGATGGTCACTTAGACCACTCACTGGACCGTGCCAAGCATAGGGCAAGCGAA
ATGCCCCAGGCTTTTCTTTGATGTATGATGAAGCGTATCAGCAGTGTAGTATTTGACTTGGAAAT
TTGGAACAGAGTGCTTGCAGTTGGCTCTAAAATACTGTACAGGAAAGCAAACTGTAGAAGGGCCCCC
TGCCCTCTGGAAGGTGACCTACAACAAGACCTGTGTGCAGCTGAAGCCATGATTAAGGTGTGTTCAAC
CTTGTGACTGTGAGCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >MG203900 representing BC096030
 Red=Cloning site Green=Tags(s)

MEPGPCSRPAEPGHCVSGPAGAGSAPFESPLSVAGAEPGNRPGTVAAVLPAGGCGERMGVRTPKQFCRVL
 ERPLISYTLQAMERVCWIKDIVVTVTGENMEAMRSIIQRYGHKRI SLAEAGATRHRISIFNGLKAL AEDQP
 DCKLTKPEVVI IHDAVRPFVEEDILLRVVLAKEHGAAGAIRPLVSTVISP SADGHL D HSLDR AKH RASE
 MPQAF LFDVI YEAYQCSDFLEFGTECLQLALKYCHRKAKLVEGPPALWKV TYKQDLCAAEAMIKGVFN
 LVTVSA

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: BC096030

ORF Size: 860 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC096030 , AAH96030
RefSeq Size:	3142 bp
RefSeq ORF:	860 bp
Locus ID:	75847
Cytogenetics:	12 A3
Gene Summary:	Cytidylyltransferase required for protein O-linked mannosylation (By similarity). Catalyzes the formation of CDP-ribitol nucleotide sugar from D-ribitol 5-phosphate (By similarity). CDP-ribitol is a substrate of FKTN during the biosynthesis of the phosphorylated O-mannosyl trisaccharide (N-acetylgalactosamine-beta-3-N-acetylglucosamine-beta-4-(phosphate-6-)mannose), a carbohydrate structure present in alpha-dystroglycan (DAG1), which is required for binding laminin G-like domain-containing extracellular proteins with high affinity (By similarity). Shows activity toward other pentose phosphate sugars and mediates formation of CDP-ribulose or CDP-ribose using CTP and ribulose-5-phosphate or ribose-5-phosphate, respectively (By similarity). Not Involved in dolichol production (By similarity). [UniProtKB/Swiss-Prot Function]