

## Product datasheet for **MG205396**

### Arg2 (NM\_009705) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Arg2 (NM\_009705) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Arg2  
**Synonyms:** All; AU022422  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG205396 representing NM\_009705  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTTCTGAGGAGCAGCGCCTCCCGTCTCCTCCACGGGCAAATTCCTTGCGTCTGACGAGATCCGTCC  
ACTCTGTAGCTATAGTCGGAGCCCTTTCTCTCGGGACAGAAGAAGCTAGGAGTGGAAATATGGTCCAGC  
TGCCATTCGAGAAGCTGGCTTGCTGAAGAGGCTCTCCAGGTTGGGATGCCACCTAAAAGACTTTGGAGAC  
TTGAGTTTACTAATGTCCACAAGATAATCCCTACAATAATCTGGTTGTGTATCCTCGTTCAGTGGCC  
TTGCCAACCGGAAGCTGGCTGAAGTGGTTAGTAGAGCTGTGTGAGGCTACAGCTGTGTACCATGGG  
AGGAGACCACAGCCTGGCAATAGGTACCATATCGGTCACGCCCGCACCCAGATCTCTGTGTATC  
TGGGTTGATGCTCATGCGGACATTAATACACCTCTCACCCTGTATCTGGAAATATACATGGACAGCCAC  
TTTCCTTTCTCATCAAAGAACTACAAGACAAGGTACCACAAGTCCAGGATTTTCCTGGATCAAACCTTG  
CCTCTCTCCCCAAATATTGTGTACATTGGCCTGAGAGATGTGGAGCCTCCTGAACATTTATTTTAAAG  
AATTATGACATCCAGTATTTTCCATGAGAGAGATTGATCGACTTGGGATCCAGAAGGTGATGGAACAGA  
CATTTGATCGGCTGATTGGCAAAGGCAGAGGCCAATCCACCTGAGTTTGTATTTGATGATTCATTTGACCC  
TAAATTTGGCTCCAGCCACAGGAACCCCTGTTGTAGGGGATTAACCTACAGAGAAGGAGTGTATATTACT  
GAAGAAATACATAATACAGGGTTGCTGTCAGCTCTGGATCTTGTGAAGTCAATCCTCATTGGCCACTT  
CTGAGGAAGAGGCCAAGGCAACAGCCAGACTAGCAGTGGATGTGATTGCTTCAAGTTTTGGTCAGACAAG  
AGAAGGAGGACACATTGTCTATGACCACCTTCTACTCCTAGTTCACCACACGAATCAGAAAATGAAGAA  
TGTGTGAGAATT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >MG205396 representing NM\_009705  
 Red=Cloning site Green=Tags(s)


MFLRSSASRLLHGQIPCVLTRSVHVAIVGAPFSRGQKKGVEYGPAAIREAGLLKRLSRLGCHLKDFGD  
 LSFTNVPQDNPNL VVYPRSVGLANQELAEVVSRAVSGGYSCVTMGGDHSLAIGTIIGHARHPDLCVI  
 WYDAHADINTPL TTVSGNIHQPLSFLIKELQDKVPQLPGFSWIKPCLSPNIVYIGLRDVEPPEHFILK  
 NYDIQYFSMREIDRLGIQKVMQTFDRLIGKRQRP IHL SFDIDAFDPKLAPATGTPVVGGLTYREGVYIT  
 EEIHNTGLL SALLDLEVNPHLATSEEEAKATARLAVDVIASSFGQTREGGHIVYDHLPTPSSPHESENEE  
 CVRI

TRTRPLE - GFP Tag - V


**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:**

NM\_009705

<b>ORF Size:</b>	1062 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_009705.1</a> , <a href="#">NP_033835.1</a>
<b>RefSeq Size:</b>	1400 bp
<b>RefSeq ORF:</b>	1065 bp
<b>Locus ID:</b>	11847
<b>UniProt ID:</b>	<a href="#">O08691</a>
<b>Cytogenetics:</b>	12 C3
<b>Gene Summary:</b>	May play a role in the regulation of extra-urea cycle arginine metabolism and also in down-regulation of nitric oxide synthesis. Extrahepatic arginase functions to regulate L-arginine bioavailability to nitric oxid synthase (NOS). Arginine metabolism is a critical regulator of innate and adaptive immune responses. Seems to be involved in negative regulation of the survival capacity of activated CD4(+) and CD8(+) T cells (PubMed:27745970, PubMed:25009204). May suppress inflammation-related signaling in asthmatic airway epithelium (PubMed:27214549). May contribute to the immune evasion of H.pylori by restricting M1 macrophage activation and polyamine metabolism (PubMed:27074721). May play a role in promoting prenatal immune suppression (By similarity). Regulates RPS6KB1 signaling, which promotes endothelial cell senescence and inflammation and implicates NOS3/eNOS dysfunction (PubMed:22928666). Can inhibit endothelial autophagy independently of its enzymatic activity implicating mTORC2 signaling (PubMed:25484082). Involved in vascular smooth muscle cell senescence and apoptosis independently of its enzymatic activity (By similarity).[UniProtKB/Swiss-Prot Function]