



Product datasheet for MG206405

Tacr1 (NM_009313) Mouse Tagged ORF Clone

Product data:

Expression Plasmids
Tacr1 (NM_009313) Mouse Tagged ORF Clone
TurboGFP
Tacr1
NK-; NK1; Nk1r; Spr; Tac; Tac1r
Neomycin
pCMV6-AC-GFP (PS100010)
Ampicillin (100 ug/mL)
Sgfl-Mlul
Cloning sites used for ORF Shuttling:





--- GAA GAA AGA GTT TAA ACGGCCGGCCGCGGAGCT - - E E R V Stop

 ACCN:
 NM_009313

 ORF Size:
 1221 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	(NM_009313) Mouse Tagged ORF Clone – MG206405
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 009313.4, NP 033339.2</u>
RefSeq Size:	5021 bp
RefSeq ORF:	1224 bp
Locus ID:	21336
UniProt ID:	<u>P30548</u>
Cytogenetics:	6 C3
Gene Summary:	This gene encodes the receptor for the tachykinin, substance P, also referred to as neurokinin 1. This gene belongs to a gene family of tachykinin receptors which are characterized by interactions with G proteins and contain seven hydrophobic transmembrane regions. This receptor has been associated with nitric oxide formation, and it has been localized to cholinergic and nitrergic neurons as well as on smooth muscle cells. [provided by RefSeq, Mar

2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for MG206405

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US