OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MG206626

Cavin2 (NM_138741) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cavin2 (NM_138741) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Cavin2
Synonyms:	Sdpr
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence:

>MG206626 representing NM_138741
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGAGAGGACGCTGCACAGGCAGAAAAGTTCCAGCATCCAAACACAGACATGCTCCAGGAGAAGCCAT
CCAGCCCCAGCCCAATGCCTTCCTCCACACCGAGCCCCAGCCTGAACCTGGGGTCCACAGAGGAGGCCAT
CCGAGACAACTCGCAGGTGAATGCTGTCACCGTGCACACACTCCTGGATAAATTGGTCAACATGCTGGAC
GCCGTGAGGGAGAACCAGCACAACATGGAACAGCGTCAGATCAACCTGGAGGGCTCGGTGAAGGGCATCC
AGAACGACCTCACCAAGCTCTCCAAGTACCAGGCCTCCACCAGCAACACAGTGAGCAAGCTGCTAGAGAA
GTCTCGCAAGGTCAGCGCTCACACGCGGGCTGTCCGGGAGCGCCTCGAGAGGCAGTGTGTCCAGGTGAAG
AGACTGGAGAACAACCACGCCCAACTCCTCCGACGCAACCACTTCAAAGTGCTCATCTTCCAGGAAGAAA
GTGAGATCCCTGCCAGTGTGTTTGTGAAGGAGCCAGTTCCCAGCGCTGCAGAAGGCAAGGAGGAGCTTGC
TGATGAGAACAAGTCCCTGGAGGAAACTCTGCACAACGTGGACCTCTCCTCTGATGACGAATTGCCCCGT
GATGAGGAAGCCCTGGAAGATAGTGCAGAAGAGAAGATGGAAGAAAGCAGGGCAGAAAAAATAAAAAGAT
CCAGCCTCAAGAAAGTCGATAGCCTCAAGAAAGCGTTTTCTCGTCAGAACATCGAGAAAAAGATGAACAA
GCTGGGAACCAAGATCGTATCTGTTGAGAGGAGAGAAAAGATTAAGAAATCGCTCACACCCAACCACCAG
AAAGCATCTTCTGGGAAAAGCTCCCCCTTCAAGGTTTCTCCCCTCTCCTTTGGTCGTAAGAAAGTCCGAG
AGGGAGAAAGCTCTGTAGAAAATGAGACCAAGTTGGAAGACCAGATGCAGGAGGACCGCGAGGAGGGTTC
GTTCACAGAGGGTCTTTCTGAAGCATCCCTCCCCAGTGGCCTGATGGAGGGCAGCGCAGAAGATGCTGAG
AAATCAGCAAGGAGAGGGAACAACTCAGCCGTGGGCAGTAATGCGGATCTGACCATTGAGGAAGATGAAG
AAGAGGAGCCGGTAGCCCTGCAGCAGGCCCAGCAGGTGCGCTATGAGAGTGGCTACATGCTCAACTCCGA
GGAGATGGAGGAACCCAGTGAGAAACAGGTCCAGCCAGCTGTGCTGCATGTGGATCAGACTGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

View online »

Protein Sequence:

>MG206626 representing NM_138741
Red=Cloning site Green=Tags(s)

MGEDAAQAEKFQHPNTDMLQEKPSSPSPMPSSTPSPSLNLGSTEEAIRDNSQVNAVTVHTLLDKLVNMLD
AVRENQHNMEQRQINLEGSVKGIQNDLTKLSKYQASTSNTVSKLLEKSRKVSAHTRAVRERLERQCVQVK
RLENNHAQLLRRNHFKVLIFQEESEIPASVFVKEPVPSAAEGKEELADENKSLEETLHNVDLSSDDELPR
DEEALEDSAEEKMEESRAEKIKRSSLKKVDSLKKAFSRQNIEKKMNKLGTKIVSVERREKIKKSLTPNHQ
KASSGKSSPFKVSPLSFGRKKVREGESSVENETKLEDQMQEDREEGSFTEGLSEASLPSGLMEGSAEDAE
KSARRGNNSAVGSNADLTIEEDEEEEPVALQQAQQVRYESGYMLNSEEMEEPSEKQVQPAVLHVDQTA

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_138741

ORF Size:	1254 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_138741.1, NP_620080.1
RefSeq Size:	3069 bp
RefSeq ORF:	1257 bp
Locus ID:	20324
UniProt ID:	Q63918
Cytogenetics:	1 C1.1
Gene Summary:	Plays an important role in caveolar biogenesis and morphology. Regulates caveolae morphology by inducing membrane curvature within caveolae (By similarity). Plays a role in caveola formation in a tissue-specific manner. Required for the formation of caveolae in the lung and fat endothelia but not in the heart endothelia. Negatively regulates the size or stability of CAVIN complexes in the lung endothelial cells (PubMed:23652019). May play a role in targeting PRKCA to caveolae (By similarity).[UniProtKB/Swiss-Prot Function]