

Product datasheet for **MG206800**

Entpd5 (BC015247) Mouse Tagged ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Entpd5 (BC015247) Mouse Tagged ORF Clone |
| Tag: | TurboGFP |
| Symbol: | Entpd5 |
| Synonyms: | mNTPase, NTPDase-5, NTPDase5, ER-UDPase, Pcph |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-AC-GFP (PS100010) |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| ORF Nucleotide Sequence: | >MG206800 representing BC015247 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCACTTCTGGGGGCTGTCTTCATGCTGATCATAGCCTGCGTTGGCAGCACTGTCTTCTACAGAG
AACAGCAGACCTGGTTTGAAGGTGTCTTGTCTTCCATGTGCCCATTAATGTCAGTGCCGGCACCTT
TTATGGAATTATGTTTATGCGGGCAGCACTGGAACCGATTTCATGTTTACACTTTTGTGCAGAAAACA
GCAGGACAGCTCCCTTTCTGGAAGGTGAAATTTTGTCTGTGAAGCCGGGACTTTCTGCTTTTGTGG
ATCAGCCCAAACAGGGTCTGAGACTGTCCAGGAGCTCTTGGAGGTGGCCAAAGACTCGATCCCCAGAAG
CCACTGGGAAAGGACCCCGGTGTTCTGAAAGCAACGGCCGACTCCGTTTGTGCTGAGCAGAAAAGCC
CAGGCTCTGCTCTTGGAGGTAGAGGAGATCTTCAAGAATTCACCTTTCCTGGTCCAGATGGCAGCGTTA
GCATCATGGATGGTCTATGAAGGCATACTAGCCTGGGTACCCTGAACTTTCTAACAGGTCAGCTGCA
TGGTCTGGCCAGGAGACTGTGGGGACCCTTGACCTGGGGGTGCCTCCACCAAATCACGTTTCTACCC
CAGTTTGAAGAAACCCTGGAACAAACACCTAGGGGCTACCTCACTTCTTGTGAGATGTTTAAACAGCACTT
TTAAGCTCTATACACATAGTTACTTGGGATTTGGACTGAAAGTGCAGACTGGCAACTCTGGGAGCCCT
GGAAGCAAAAGGGACTGATGGACATACGTTTTCGAAGTGCCTGTTTACCAAGATGGTTGGAAGCAGAGTGG
ATCTTTGGGGTGTGAAATACCAGTATGGTGGTAACCAAGAAGGGGAGATGGGCTTTGAACCTGCTATG
CGGAAGTGTGAGGGTAGTACAGGGGAACTTCACAGCCAGAAGAAGTCCGAGGAAGCGCCTTCTACGC
TTTCTCTTACTACTACGATCGAGCCGCTGACACACACTTGATCGATTATGAAAAGGGCGGGTTTTAAAA
GTTGAAGATTTTGAAGAAAAGCCAGAGAAGTGTGTGACAACTTGGGGAGCTTCTCCTCGGGCAGTCCTT
TCCTCTGCATGGACCTCACTTACATCACAGCCCTGTTGAAAGATGGTTTTGGCTTTGCCAGGCACCCCT
CTTACAGCTCACAAGAAAGTGAACAACATAGAGACTGGTTGGCCTTGGGGCCACCTTTCACCTGCTC
CAGTCTCTGGGCATCACCAGC

ACCGTACGGCGCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >MG206800 representing BC015247
 Red=Cloning site Green=Tags(s)

MATSWGAVFMLIIACVGVSTVFYREQQTWFEGVFLSSMCPINVSAGTFYGIMFDAGSTGTRIHVYTFVQKT
 AGQLPFLEGEIFDSVKPGLSAFVDQPKQGAETVQELLEVAKDSIPRSHWERTPVVLKATAGLRLLPEQKA
 QALLLEVEEIKNSPFLVPDGSVSYMDGSYEGILAWVTVNFLTGLQLHGRGQETVGTLDLGGASTQITFLP
 QFEKTLQTPRGYLTSEMFNSTFKLYTHSYLGFGLKAARLATLGALEAKGTDGHTFRSACLPRWLEAEW
 IFGGVKYQYGGNQEGEMGFPCYAEVLRVVQGLHQPEEVRGSAFYAFSYYYDRAADTHLIDYEKGGVVK
 VEDFERKAREVCDNLGSFSSGSPFLCMDLTYITALLKDGFGFADGTLQLTKKVNNIETGVALGATFHLL
 QSLGITS

TRTRPLE – GFP Tag – V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:

BC015247

| | |
|-------------------------------|--|
| ORF Size: | 1283 bp |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | BC015247 , AAH15247 |
| RefSeq Size: | 2099 bp |
| RefSeq ORF: | 1283 bp |
| Locus ID: | 12499 |
| Cytogenetics: | 12 39.18 cM |
| Gene Summary: | Uridine diphosphatase (UDPase) that promotes protein N-glycosylation and ATP level regulation. UDP hydrolysis promotes protein N-glycosylation and folding in the endoplasmic reticulum, as well as elevated ATP consumption in the cytosol via an ATP hydrolysis cycle. Together with CMPK1 and AK1, constitutes an ATP hydrolysis cycle that converts ATP to AMP and results in a compensatory increase in aerobic glycolysis. The nucleotide hydrolyzing preference is GDP > IDP > UDP, but not any other nucleoside di-, mono- or triphosphates, nor thiamine pyrophosphate. Plays a key role in the AKT1-PTEN signaling pathway by promoting glycolysis in proliferating cells in response to phosphoinositide 3-kinase (PI3K) signaling. [UniProtKB/Swiss-Prot Function] |