

## Product datasheet for **MG208633**

### Grb10 (BC016111) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Grb10 (BC016111) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Grb10
Synonyms:	5730571D09Rik; AI325020; Meg1; mKIAA0207
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG208633 representing BC016111  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGAACAACGATATTAACCTCGTCCGTGGAAAGCCTTAACCTCAGCTTGCAACATGCAGTCTGATACTGATA  
 CTGCACCACTTCTTGAGGATGGCCAGCATGCCAGCAACCAGGGAGCAGCATCTAGCTCCCGGGACAGCC  
 ACAGGCGTCCCGAGGCAGAAAATGCAACGCTCGCAGCCTGTGCACATTCTCAGGCGCCTTCAGGAGGAA  
 GACCAGCAGTTAAGAACTGCATCTCTCCGGCCATCCCCAACCCATTTCCGGAGCTCACTGGTGGCGCC  
 CTGGGAGCCCTCCTTCGGTTGCTCCTAGCTCCTTACCTCCTCCGAGCCAGCCACCTGCCAAGCATGA  
 TGTCAAAGTCTTTAGTGAAGATGGGACCAGCAAAGTGGTGGAGATTCTAACCGACATGACAGCCAGGGAC  
 CTGTGCCAGCTGTGTTTACAAAAGTCACTGTGTGGATGACAACAGCTGGACTCTGGTGGAAACACCACC  
 CACAACCTGGATTAGAGAGGTGCCTGGAGGACCATGAGATCGTGGTCCAAGTGGAGAGTACCATGCCAAG  
 TGAGAGCAAATCTTATTCAGAAAGAATTATGCGAAGTACGAGTCTTTAAGAATCCAGTGAACCTCTTC  
 CCGGATCAGATGGTCAATTTGGTCCAGCAGTCCAACGGTGGCCAGGCGCAGCTTCTGCAGAATTTCTGA  
 ACACCAGCAGCTGCCCTGAGATCCAGGGGTTCTTGCAAGTGAAGAGGTAGGACGCAAGTCTTGGAAAGAA  
 GCTGTATGTGTGCTGCGCAGATCTGGCCTCTATTACTCCACCAAGGGGACTTCAAAGAACCAGACAC  
 CTGCAGCTGTGGCTGACCTGGAAGAAAGCAGCATCTTCTACCTGATTGCTGGAAGAAGCAGTACAACG  
 CGCCGAATGAACATGGGATGTGCATCAAGCAAACAAGCGAAGACCGAGATGAAGGAGCTTCGTCTGCT  
 CTGTGCCGAAGATGAGCAGATCCGACTTGCTGGATGACTGCCTCAGACTGCTCAAGTACGGAATGCTC  
 CTGTACCAAACTATCGCATCCCACAGAGGAAGGGTCTGCCCCCTCTTCAACGCACCTATGCCAGTG  
 TTTCTGAGAATCTCTTGTGGCCATGGATTTTTCTGGACAAATCGGAAGAGTGATCGATAACCCGGCTGA  
 AGCCAGAGTGCCTGGAAGAGGGCCATGCCTGGCGTAAGCGGAGCACCGGATGAATATCCTAAGC  
 AGCCAAAGCCCACTGCATCCTTCTACCCTGAATGCAAGTATTACAGGACTCAGCATTGGTTCATGGAC  
 GTATCTCCCGCAGGAGTCTCACAGGATCATCAAGCAACAAGGTCTCGTGGACGGGCTGTTCTCCTTTCG  
 TGACAGCCAGAGTAATCCAAAGGCTTCGACTGACACTGTGCCATCACCAGAAGATTAATAACTTCCAG  
 ATCTTACCTTGCAGGATGATGGCAGACCTTCTTCACTCTGGATGATGGGAACACCAAGTTCTCCGATC  
 TGATCCAGCTGGTCGACTTCTACCAGCTCAACAAGGTGTTCTGCCCTGCAAGCTGAAACACCCTGCAT  
 CCGCGTGGCCTTA

**ACGCGTACGCGGCCGCTCGAG** - GFP Tag - GTTTAA

**Protein Sequence:**

>MG208633 representing BC016111  
 Red=Cloning site Green=Tags(s)

MNNDINSSVESLNSACNMQSDTDTAPLLEDGQHASNQGAASSSRGQPQASPRQKMQRSQPVHILRRLQEE  
 DQQLRTASLPAIPNPFPELTGAAPGSPSVAPSSLPPPPSOPPAKHDKVVFSEDGTSKVVEILTDMTARD  
 LCQLLVYKSHCVDDNSWTLVEHHPQLGLERLEDHEIVVQVESTMPSESKFLFRKNYAKYEFFKNPVNFF  
 PDQMVNWCQQSNGGQAQLLQNFLNTSSCEIQGFQVKEVGRKSWKLYVCLRRSGLYYSTKGSKEPRH  
 LQLLADLEESSIFYLIAGKKQYNAPNEHGMCIKPNKAKTEMKELRLLCAEDEQIRTCWMTAFRLLKYGML  
 LYQNYRIPQRKGLPPPFNAPMRSVSENSLVAMDFSGQIGRVIDNPAAEQSAALEEGHAWRKRSTRMNILS  
 SQSPLHPSTLNAVIHRTQHWFHGRISREESHRIKQQLVDGLFLLRDSQSNPKAFVLTLCCHHQIKINFQ  
 ILPCEDDGQTFFTLDDGNTKFSDLIQLVDFYQLNKGVLPCCLKKHHICIRVAL

**TRTRPLE** - GFP Tag - V

**Restriction Sites:**

Sgfl-MluI



<b>ACCN:</b>	BC016111
<b>ORF Size:</b>	1625 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">BC016111</a> , <a href="#">AAH16111</a>
<b>RefSeq Size:</b>	4799 bp
<b>RefSeq ORF:</b>	1625 bp
<b>Locus ID:</b>	14783
<b>Cytogenetics:</b>	11 7.15 cM
<b>Gene Summary:</b>	Adapter protein which modulates coupling of a number of cell surface receptor kinases with specific signaling pathways. Binds to, and suppress signals from, activated receptors tyrosine kinases, including the insulin (INSR) and insulin-like growth factor (IGF1R) receptors. The inhibitory effect can be achieved by 2 mechanisms: interference with the signaling pathway and increased receptor degradation. Delays and reduces AKT1 phosphorylation in response to insulin stimulation. Blocks association between INSR and IRS1 and IRS2 and prevents insulin-stimulated IRS1 and IRS2 tyrosine phosphorylation. Recruits NEDD4 to IGF1R, leading to IGF1R ubiquitination, increased internalization and degradation by both the proteasomal and lysosomal pathways. A similar role in the mediation of ubiquitination has also been suggested with INSR. Negatively regulates Wnt signaling by interacting with LRP6 intracellular portion and interfering with the binding of AXIN1 to LRP6. Positive regulator of the KDR/VEGFR-2 signaling pathway. May inhibit NEDD4-mediated degradation of KDR/VEGFR-2. [UniProtKB/Swiss-Prot Function]