

Product datasheet for **MG210443**

Rad54l (NM_009015) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Rad54l (NM_009015) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Rad54l
Synonyms:	RAD54
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG210443 representing NM_009015
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGGAGGAGCTTAGCTCCCAGCCAGTTGGCCAGGAGGAAACCAGAAGACAGATCATCAGATGATGAAG
 ACTGGCAGCCTGGGACAGTAACCTCTAAGAAACGCAAGTCCAGCAGTGAGACCCAGGTCCAGGAGTGTTC
 CCTGTCTCCTTTTCGGAAGCCCTTGACTCAGCTACTCAACCGGCCACCTTGTCTGGATAGCAGTCAACAT
 GAAGCATTTATTGCAAGTATTTTGTCAAAGCCTTTCAAGGTCCCATCCCAAATTATCAAGGTCCCTGG
 GCTCTCGTGCATTGGGCCTGAAAAGGGTTGGAGTTCGTCGTGCCCTTCATGACCCCTGGAAGAAGGTGC
 CTTGGTTCTCTATGAGCCTCCCCACTCAGCGCCCATGACCAACTGAAGCTTGACAAGGAAAACTCCCT
 GTTCATGTGGTTGTTGATCCTATTCTCAGTAAGGTATTGCGGCCTCATCAGAGAGAGGGAGTGAAGTTCC
 TATGGGAGTGTGCACCAGTCGTCGAATTCCTGGAAGCCATGGCTGCATCATGGCTGATGAGATGGCCT
 GGGGAAGACACTGCAGTGCATCACATTGATGTGGACACTTTTACGCCAGAGCCCAGAATGCAAGCCAGAA
 ATCGAGAAGGCAGTGGTGGTGTACCTTAGCCTGGTGAAGAAGTGGTACAATGAGGTTGAGAAATGGC
 TTGGAGGGAGGATTCAACCTCTGGCCATCGATGGAGGCTCGAAGGACGAGATAGACCCGAAAACTGGAAGG
 ATTCATGAACCAGCGTGGAGCTAGAGTGCCTTCCCCATCCTCATCATTTCTATGAGACTTTCCGCCTG
 CATGTTGGAGTCTTAAAAAAGGAAATGTTGGACTGGTCAATGTGACGAGGGCCACAGGCTAAAGAAGT
 CTGAGAATCAGACTTACCAGGCTCTGGACAGCTTGAATACCAGCCGGCGGGTGTAACTCTCCGGGACCCC
 CATCCAAAATGATTTGCTGGAGTATTTAGCTTGGTGCCTTTGTAATTTCTGGCATTGTTGGAACTGCC
 CATGAATTCAGAAGCATTTTGGATTGCCAATTTGAAGAGTCGAGATGCAGTGCAGTGCAGTGCAGTGCAG
 GGCAGCGTGGGAGGAGCGTCTGCGGGAGCTCATCGGTATTGTGAACAGGTGCCTGATACGGAGAATC
 TGATATCCTCTAAGTATCTGCCCCTGAAGATTGAGCAGGTGGTTTGTGTAGGCTGACACCCCTTCAA
 ACTGAGCTATACAAGAGATTTCTGAGACAGGCTAAGCCTGAAGAAGAATTGCGTGAGGGCAAGATGAGTG
 TGTCTTCCCTGTCTTCTATCACCTCTCTAAAGAAGCTGTGTAATCATCCAGCTCTAATCTATGACAAGTG
 TGTGGCAGAGGAGGATGGCTTTGAGGGCACTTTGGGTATCTTCCACCTGGTTATAACTCTAAAGCTGTA
 GAGCCACAGTTGTCAGGTAAGATGCTGGTCCTTGATTACATTCTGGCCGTGACTCGAAGCCGTAGCAGTG
 ACAAAGTCGTGCTGGTGTCTAATTATACTCAGACATTGGATCTCTTTGAAAAGCTGTGCCGGTTTGAAG
 GTACTTGTATGTTGCGCTGGATGGCAGCATGTCCATTAAGAAGCGAGCCAAGGTTGTGGAGCGCTTCAAT
 AGCCCATCGAGCCCTGATTTTGTTCATGCTGAGCAGCAAAGCTGGGGCTGTGGTCTTAACTCATTG
 GTGCTAACCGACTGGTCAATGTTGATCCTGACTGGAATCCAGCCAATGATGAACAAGCTATGGCCCGAGT
 CTGGCGTGATGGTCAAAAGAAGATCTGCTATATCTACCGACTGCTATCTGCAGGAACAATTGAGGAGAAG
 ATCTTTACGCGCAGAGCCACAAGAAGGCTCTGAGCAGCTGTGTGGTGGACGAGGAGCAGGATGTGGAGC
 GCCACTTTTCTCTTGGTGGAGCTTAAAGAGCTGTTACTCTGGATGAAGCAAGCCTCAGTGACACACATGA
 CAGATTGCATTGCCCGCTTGTGTAACAACCGTCAGGTCTGGCCACCCCTGATGGTTCTGACTGCACT
 TCAGACCTGGCTCAGTGAACCACAGCACAGATAAACGAGGGCTCCAGGATGAGGTACTCCAGGCTGCCT
 GGGATGCTTATCTACAGCCATCACCTTCGCTTCCACCAGCGTTCATGAGGAGCAGCGCGGTCTTCA
 C

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG210443 representing NM_009015
 Red=Cloning site Green=Tags(s)


MRRSLAPSQLARRKPEDRSSDDEDWQPGTVTPKKRKSSSETQVQECFLSPFRKPLTQLLNRPCLDSSQH
 EAFIRSILSKPFKVPINYPQGLSRALGLKRVGVRRALHDPLEEGALVLYEPPPLSAHDQLKLDKEKLP
 VHVVDPIILSKVLRPHQREGVKFLWECVTSRRIPGSHGCIMADEMGLGKTLQCITLMWTLRLRQSPECKPE
 IEKAVVSPSSLVKNWYNEVEKWLGGRIQPLAIDGGSKDEIDRKLEGFMNQRGARVPSILIIISYETFRL
 HVGVLKKGNVGLVICDEGHRLKNSNQTYQALDSLNTSRRVLSGTPIQNDLLEYFSLVHFVNSGILGTA
 HEFKKHFEPLILKSRDAAASEADRQRGEERLRELIGIVNRCLIRRTSDILSKYLPVKIEQVVCRLTPLQ
 TELYKRFRLQAKPEEELREGKMSVSSLSITSLKLCNHPALIYDKVAEEDGFEGTLGIFPPGYNSKAV
 EPQLSGKMLVLDYILAVTRSRSSDKVVLVSNTQTLDLFEKLCRVRRLYVRLDGTMSIKKRAKVVERFN
 SPSSPDFVFMSSKAGGCGNLIGANRLVMFDPDWNPANDEQAMARVWRDGGKKICYIYRLLSAGTIEEK
 IFQRQSHKKALSSCVDEEQDVERHFSLGELKELFTLDEASLSDTHDRLHCRRCVNNRQVWPPPDGSDCT
 SDLAQWNHSTDKRGLQDEVLQAAWDASSTAITFVFHQRSHEEQRGLH


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:


ACCN: NM_009015

ORF Size: 3090 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_009015.2](#)

RefSeq Size: 3036 bp

RefSeq ORF: 2244 bp

Locus ID: 19366

UniProt ID: [P70270](#)

Cytogenetics: 4 D1

Gene Summary: Involved in DNA repair and mitotic recombination. Functions in the recombinational DNA repair (RAD52) pathway. Dissociates RAD51 from nucleoprotein filaments formed on dsDNA. Could be involved in the turnover of RAD51 protein-dsDNA filaments (By similarity). Deficient mice also show significantly shorter telomeres than wild-type controls, indicating that the protein activity plays an essential role in telomere length maintenance in mammals. Deficiency also resulted in an increased frequency of end-to-end chromosome fusions involving telomeres compared to the controls, suggesting a putative role in telomere capping. Non-homologous end joining (NHEJ) and homologous recombination (HR) represent the two major pathways of DNA double-strand break (DSB) repair in eukaryotic cells. LIG4 and RAD54L cooperate to support cellular proliferation, repair spontaneous DSBs, and prevent chromosome and single chromatid aberrations.[UniProtKB/Swiss-Prot Function]