

Product datasheet for **MG210583**

6430527G18Rik (BC057128) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	6430527G18Rik
Synonyms:	6430527G18Rik; Eap1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



ORF Nucleotide Sequence: >MG210583 representing BC057128
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTGCACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGTCGGCGGCGCAGGTGTCCTCGTCCCGAAGACAGTCTTGCTACCTGTGCGACCTGCCTCGCATGCCCT
 GGGCCATGATCTGGGACTTCTCCGAACCCGTATGCCGTGGTTGCGTCAATTACGAAGGCGCCGACCGCAT
 AGAATTCGTGATCGAGACAGCACGCCAGCTGAAGCGGGCTCACGGTTGCTTCCAAGACGGTCGCTCCCCG
 GGGCCGCCGCCGCGCAGTCGGGGTCAAGACGGTGGCCTTGTCGCCCAAGGAAGCGGCAGCAGCAGCTGCCG
 CCGCACAGCAACAGCAGCAGCAACAACAGCAGCAACAGCAGCAGCTCAACCAGTCGATGGTTCCACCAA
 ACCTGCAGTGTGGCGCCCCGTCCGGTCTGGAGCGTTATGGCCTGAGCGCAGCGGCCGCCGGCTGCC
 GCCGCCGTGCGGTGGAACAACGCAGCGGTTTCAGTATCCGCCTCCTCCGGTGAAGTCTGGGAGCAGCA
 GCCACGCCGCCGGCTGCCAACGGCTGGGAGGTCTAACGGCTTCCCAAGCGGCACAGAGGAAGG
 CCCCCGGAGCTGAACGCCAGAGCCCCAACTCATCTCAGCAGCAACATCGGTGGCTTCTCGCGTGGG
 AGCATAGTGGTGGTGACCGGGTGCCTAACCCGGGTGGTGGCGGGGACCTCAGCTAACCGTGCCCC
 CCAACCTATTGCCGACAGCGTGTAAACGGCCCGGCAGCGCCGGTGTGCTCCGCCCCACGGGT
 GGGGGGAAGCCGAGGGCCCCGACTCCAGCACCTCCGGGTGCTCCCGGGGGCCCCGCATGTCTCGGGGT
 CCCCCGGGTGTGTACGCACTGTATCTCCGCTCCATCATCGACTTCGTGACGGTGGCAGAGGTGGCG
 TGGGTGCTGCTGGCAAGAGGCTGGATCGGTGTGAGCAGCGACAGGAGCGTGAGCTAAAGGAGAAGCA
 GCGCAACGCTGAGGCTTGGCAGAGCTGAGCGAGAGCCTGCGCAACCGCGCGGAGGAGTGGGCCAACAAG
 CCAAGATGGTCCGCGACAGCTGCTACGCTGGCTGCACGCCCTACGAGGTGCGCTTCAAGAAGG
 ACCACTCGCTTTTGGTGGCTCTTTGCCCTCGACCGGTCTCTAAGCCGGGCATGGACTATGAGCTGAA
 GCTGTTTCATTGAGTATCCACGGGCTCCGCAATGTGTACTCCAGCGCTCTGGGTGGCCAAACAGATG
 TACCAGGATTGCATGAAGGACTTTGGCCGGGTCTGTCTCTGGCTTCAAGTACCTGGAGTACGAGAAGA
 AGCAGCGCTCTGGGACTGGCGCTACTTGGGACCTACTGCCTGAGGCTGTGCGCTTCTTCAAGGAGGG
 CGTGCCCGGCGCGGACATGCTGCCCCAGCCCTACCTAGATGCTAGCTGTCCATGCTACCCACGGCGCTG
 GTGAGTCTCAGCCGCGCCCCAGCGCACCTCCAGGAAGTGGAGCCTTGCCACCCGCGCGGCCACGGGCC
 GGGGTGACGCTCCAGCCTGCGCAAAAGGAAGGCATCCCCGAGCCTCCAGACTCAGCTGAAAGCGCACT
 GAAGCTCGGTGAGGAACAGCAGAGGCGAGTGGATGGCAAACAGAGCGAGGCGTGAAGCTCACGATG
 TCCGCGGGGGCTTTCGGCGCCGGGACACTCAGCAGGGGGACACCTCCGCCCTCCACCTCTGGGAC
 CTCATTCCAATCGGACCACCCGCGGAGTCAGCCCCCAGAACGGTCCGTCCCCATGGCTGCCCTCAT
 GTCGGTAGCAGACACTTTGGGCACAGCTCATTGCCCCAAGGACGGCAGTTCAAGTCACTCGACCACTGCA
 TCTGCTAGGCGAAACAGCAGAGCCGGTGTACCCGCTCCGTGCCGGGCCAGCGTCGCTGGCATCAC
 GCAATGGGACCTGAATTTACAGGTGGCGCCCCGCGCCTAGCGCCACCCGGGCATGGACCAAGTACA
 CCCCCAAAACATTCGGATTCCCTATGGCCAACAGCGGACCCCTCTGCTGTACCATTTGCCACGAACGT
 TTGGAGGACACGCATTTCTGTTCAAGTGTCCGTCTGTCCCTAGCCACAAATTTGTTTCCCTTGTCTAGAG
 AGAGTATCAAGGCCAGGGGGCCACAGGTGAGGTGATTGCCCGAGCGGAGAGAAATGCCCTAGTCGG
 GTCTAATGTACCTTGGGCTTCATGACGGCGAAATTGCAACTATCTAGCTGGGGATGTTAAAGTGAA
 AAAGAGAGAGACCT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>MG210583 representing BC057128

Red=Cloning site Green=Tags(s)


MSAAQVSSRRQSCYLCDLPRMPWAMIWDFSEPVCRCVNYEGADRIEFVIETARQLKRAHGCFQDGRSP
GPPPPVGVKTVALSAKEAAAAAAAAQQQQQQQQQLNHVDGSKPAVLAAPSGLERYGLSAAAAA
AAAAVEQRSRFEYPPPVSLGSSSHAARLPNGLGGPNGFPKPAPEEGPPELNRQSPNSSSAATSVASRRG
THSGLVTGLPNPGGGGPQLTVPNNLLPQTLLNGPASA AVLPPHGLGSGRGPPTAPPAPGPPACLG
PPGVSATVSSAPSSSTVAEVGVGAAGKRPGSVSSTDQERELKEKQRNAEALAESESLRNRAEEWANK
PKMVRD TLLTAGCTPYEVRFKKDHSLLGRVFAFDVAVSKPGMDYELKLFIEYPTGSGNVYSSASGVAKQM
YQDCMKDFGRGLSSGFKYLEYEKKHSGDWRLLDLLPEAVRFKEGVPGADMLPQPYLDASCPMLPTAL
VSLSRAPSAPPGTGALPPAAPTGRGAASSLRKRKASPEPPDAESALKLGEQQRQQWMANQSEALKLTM
SAGGFAAPGHSAGPPPPPLGPHSNRTTPPE SAPQNGPSPMAALMSVADTLGTAHSPKDGSSVHSTTA
SARRNSSPVSPASVPGQRRLASRNDLNLQVAPPPPSAHPGMDQVHPQNI PDSPMANSGPLCCTICHER
LEDTHFVQCPSVPSHKFCFPCSRESIKAQGATGEVYCPSGEKCPLVGSNVPWAFMQGEIATILAGDVKVK
KERDP

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN:

BC057128

ORF Size:

2325 bp

OTI Disclaimer:


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	BC057128 , AAH57128
RefSeq Size:	3119 bp
RefSeq ORF:	2327 bp
Locus ID:	238330
Cytogenetics:	12 D2
Gene Summary:	Probable E3 ubiquitin protein ligase involved in the proteasome-mediated ubiquitin-dependent degradation of target proteins. Through the degradation of CTNNB1, functions downstream of FOXF2 to negatively regulate the Wnt signaling pathway. Probably plays a role in the development of the central nervous system and in neuronal maintenance (By similarity). Also acts as a transcriptional regulator of genes controlling female reproductive function. May play a role in gene transcription by transactivating GNRH1 promoter and repressing PENK promoter (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG210583