

Product datasheet for **MG211064**

Tnpo2 (BC003275) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tnpo2 (BC003275) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Tnpo2
Synonyms:	TRN2, MGC6380, Kpnb2b, IPO3, Knpb2b
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MG211064 representing BC003275
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGC**

ATGGACTGGCAGCCAGACGAGCAGGGCCTGCAGCAGGTCTTGACGCTTCTCAAAGACTCGCAGTCGCCCC
 ACACAGCTACTCAGCGCATTGTGCAGGATAAACTTAAACAACCAACCAGTTTCCTGACTTTAACTA
 CCTGATCTTTGTCTGACCAGACTCAAATCAGAAGATGAGCCAACCCGCTCTCTGAGTGGCCTCATCCTC
 AAGAACAATGTGAAGGCGCATTACCAGAGCTTCCCGCCTCTGTGGCTGACTTCATCAAACAGGAGTGTC
 TCAACAACATTGGCGATGCCTCTCTCATCAGAGCCACCATCGGCATTCTCATCACCACCATCGCTTC
 CAAGGGTGAGCTGCAGATGTGGCCAGAGCTGCTGCCTCAGCTGTGCAACCTGCTCAACTCAGAGGATTAT
 AATACCTGTGAGGGAGCCTTTGGAGCCCTACAGAAGATCTGTGAAGACTCCTCGGAGCTTTTGGATAGTG
 ATGCTCTCAACAGGCCCTCAACATCATGATCCCTAAATTCCTGCAGTTTTTCAAGCACTGCAGCCCTAA
 GATCCGGTCCCAGCCATCGCCTGTGTGAACAGTTTCATCATGGACCGGGCCCAAGCGCTGATGGACAAC
 ATTGACACTTTTATTGACACCTGTTTGGCTTGGCTGTGGATGATGACCTGAGGTGAGAAAGAAGCTGT
 GCCGGGCCCTTGTGATGCTTTTGAAGTGCAATTGACAGGCTCATCCCTCACATGCACAGCATCATCCA
 GTACATGCTGCAGAGGCCAGGACCATGATGAGAAGCTGGCCCTGGAGGCCTGTGAGTTCTGGCTGACG
 CTAGCCGAGCAGCCCATCTGCAAGGAAGTCTGGCCTCTCATCTGGTCCAGTTGATCCCTATCCTCGTGA
 ATGGGATGAAGTACTCTGAAATTGACATCATCCTTCTTAAGGGGGATGTGGAGGAGGACGAGGCGGTACC
 TGACAGTGAGCAGGACATCAAGCCCCGTTCCACAAGTCACGCACAGTGACATTGACTCAGGAGCTGAG
 CGGCCTGATAGCTCTGAGGATGCTGAGGACGACGATGATGACGACGCTTTGTGCGACTGGAATCTGAGGA
 AGTGCTCTGCAGCTGCGCTGGATGTCTTGCCAATGTCTTCGGGAGGAACTGTTGCCCACTACTTCC
 CTTGCTCAAGGGCCTCCTATTCCACCCTGAGTGGGTGGTCAAAGAGTCAGGGATCCTGGTCTGGGCGCC
 ATCGCTGAGGGCTGCATGCAGGAATGGTGCCCTATCTACCTGAGCTGATCCACACCTCATCCAGTGCC
 TGTGAGATAAGAAGGCTCTAGTACGCTCCATTGCCTGCTGGACGCTGAGCCGCTATGCCACTGGGTAGT
 CAGCCAGCCACCTGACATGCACCTCAAGCCTTTGATGACGGAGCTGCTCAAGCGTATCTTGGATGGAAT
 AAGCGGGTTCAGGAGGACGCTGCAGTGCAATTTGCTACCTGGAGGAGGAGGATGCACGGAGCTGGTGC
 CCTACCTCAGCTATATCCTTGACACTCTCGTTTTTGCCTTTGGCAATACCAGCATAAGAACCTGCTCAT
 CCTCTATGATGCCATTGGCACCTGGCCGACTCTGTGGGCCACCACCTCAATCAGCCGAGTACATTGAG
 AAGCTGATGCCTCCACTGATCCAGAAGTGAATGAGCTCAAGGACGAAGACAAGGACCTCTTCCGCTGC
 TGGAGTGCTATCATCTGTGGCCACTGCCCTGCAGAGTGGCTTCTGCCCTACTGCGAGCCTGTCTACCA
 GCGCTGTGTTACCTGGTACAGAAGACTGGCCAGGCCATGATGTATACACAACCCCGAACATAT
 GAGGCCCCAGACAAGACTTTCATGATTGTTGCATTGGACCTGCTTAGTGGCTTGGCTGAGGGCCTAGGTG
 GCCACGTGGAGCAGTTGGTAGCTCGGAGTAACATCATGACATTGCTCTTCCAGTGTATGCAGGATTCCAT
 GCCTGAGGTCCGGCAGAGCTCCTTTGCCCTTCTGGGAGACCTTACCAAAGCCTGCTTTATCCACGTCAAG
 CCCTGTATCGCTGAGTTTCATGCCTATTCTGGGTACCAACCTGAACCCTGAGTTCATCTGTCTGCAACA
 ATGCTACCTGGGCCATTGGGAGATCTGCATGCAGATGGGGCAGAGATGCAGCCTTATGTGCAGATGGT
 CCTCAACAACCTGGTGGAGATCATTAAACAGGCCAACACACCAAGACTGCTGGAAAACACAGCCATC
 ACCATCGGCCGCTGGGCTACGTGTGCCGAGGAGGTGGCACCCTGCTGCAGCAGTTTATCCGGCCTT
 GGTGCACGTCCCTTAGGAACATCCGGGACAACGAGGAGAAGGATTCTGCCTTCCGAGGCATCTGCATGAT
 GATTGGTGTCAATCCTGGGGGTGTTGTGCAGGACTTTATTTTCTCTGCGATGCTGTAGCCTCCTGGGTG
 AGCCCCAAGGATGACCTTCGGGACATGTTTTATAAGATCCTCCATGGCTTCAAAGACCAAGTTGGGGAGG
 AGAACTGGCAACAGTTCTCAGAGCAGTCCACCTCTGCTCAAGGAGAGGCTGGCAGCCTCTATGGGGT
 C

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211064 representing BC003275
Red=Cloning site Green=Tags(s)


MDWQPDEQGLQQVLQLLKDSQSPNTATQRIVQDKLKQLNQFPDFNNYLIFVLTRLKSEDEPTRSLSGILIL
KNNVKAHYQSFPFPPVADFIKQECLNNIGDASSLIRATIGILITTIASKGELQMWPELLPQLCNLLNSEDY
NTCEGAFGALQKICEDSSELLSDALNRPLNIMIPKFLQFFKHCSPIKIRSHAIACVNQFIMDRAQALMDN
IDTFIEHLFALAVDDDEVRKNCRALVMLLEVRIDRLIPMHHSIIQYMLQRTQDHDENVALEACEFWLT
LAEQPICKEVLASHLVQLIPILVNGMKYSEIDIILLKGDVEEDEAVPDSEQDIKPRFHKSRVTTLTHEAE
RPDSSDAEDDDDDDALSDWNLKCSAAALDVLANVFREELLPHLLPLLKGLLFHPEWVVKESGILVLGA
IAEGCMQGMVPYLPPELIPHLIQCLSDKKALVRSIACWTLTRYAHWVVSQPPDMLKPLMTELLKRILDGN
KRVQEAACSAFATLEEEACTELVPYLSYILDTLVFAFGKYQHKNLLILYDAIGTLADSVGHHLNQPEYIQ
KLMPPLIQKWNELKDEKDLFPLLECLSSVATALQSGFLPYCEPVYQRCVTLVQKTLAQAMMYTQHPEQY
EAPDKDFMIVALDLLSGLAEGLGHHVEQLVARSNIMTLLFQCMQDSMPEVRQSSFALLGDLTKACFIHVK
PCIAEFMPILGTNLNPEFISVCNNATWAIGEICMQMGAEMQPVYQMVNLNLVEIINRPNTPKTLLNTAI
TIGRLGYVCPQEVAPMLQQFIRPWCTSLRNIRDNEEKDSAFRGICMMIGVNPGGVVQDFIFFCDAVASWV
SPKDDLDMFYKILHGFKDQVGEENWQQFSEQFPPLLKERLAIFYGV

TRTRPLE - GFP Tag - V

Restriction Sites:


SgfI-MluI

Cloning Scheme:



ACCN:	BC003275
ORF Size:	2661 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	BC003275.1
RefSeq Size:	2897 bp
RefSeq ORF:	2663 bp
Locus ID:	212999
Cytogenetics:	8 C3
Gene Summary:	Probably functions in nuclear protein import as nuclear transport receptor. Serves as receptor for nuclear localization signals (NLS) in cargo substrates. Is thought to mediate docking of the importin/substrate complex to the nuclear pore complex (NPC) through binding to nucleoporin and the complex is subsequently translocated through the pore by an energy requiring, Ran-dependent mechanism. At the nucleoplasmic side of the NPC, Ran binds to the importin, the importin/substrate complex dissociates and importin is re-exported from the nucleus to the cytoplasm where GTP hydrolysis releases Ran. The directionality of nuclear import is thought to be conferred by an asymmetric distribution of the GTP- and GDP-bound forms of Ran between the cytoplasm and nucleus (By similarity). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG211064