

## Product datasheet for **MG211125**

### Dapk1 (BC060161) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Dapk1 (BC060161) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Dapk1
Synonyms:	D13Ucla1; DAP-Kinase
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>MG211125 representing BC060161  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCGCGATCGCC

ATGACTGTGTTACAGCAGGAAAACGTGGACGACTACTACGACACCGGCGAGGAAC TGGGAGTGGACAGT  
 TCGCAGTTGTGAAGAAATGTCGTGAGAAAAGTACCGGTCTTCAGTATGCGGCCAAGTTCATCAAGAAAAG  
 GAGGACCAAGTCCAGCCGGCGGGCGTGTAGCCGGGAGGACATCGAGCGGAGGTCAAGCATCCTGAAGGAG  
 ATCCGGCACCCAAATGTCATCACCTGCATGAGGTCTATGAGAACAAGACAGATGTCATTCTGATCCTGG  
 AGCTTGTGTCAGGAGGTGAGCTGTTTGACTTCCTGGCTGAGAAGGAATCTCTGACTGAAGAGGAGGCAAC  
 GGAATTCCTTAAGCAGATTCTCAGCGGCGTTTACTACCTGCACTCACTGCAGATCGCTCACTTTGACCTG  
 AAGCCGGAAAACATAATGCTTCTGGATAGAAATGTGCCAAAACCTCGGATCAAGATCATAGACTTTGGCT  
 TGGCCATAAAAATTGACTTTGGAATGAATTCAAAACATATTTGGGACACCAGAGTTTGTGGCTCCGGA  
 GATAGTCAACTATGAGCCCTGGGTCTTGAGGCAGATATGTGGAGCATCGGGGTAATAACCTATATCCTC  
 CTAAGTGGGGCTCCCTTTTCTTGAGACACCAAGCAAGAAAACATTAGCGAATGTGTCCGCTGTCAACT  
 ACGACTTTGAGGAGGAATTTCTCCGGAACACCAAGTACCCTTGCCAAAGATTTTCATCAGAAGACTGCTGGT  
 CAAGGATCCAAAGAAGAGGATGACAATCCAGGACAGTTTGCGACACCCCTGGATCAAGCCTAAAGACACC  
 CAACAAGCACTTAGTCGAAAAGCCTCAGCAGTAAACATGGAGAAAATCAAGAAGTTTGCAGCTCGGAAAA  
 AATGGAACAATCTGTTTCGCTTGATCACTGTGCCAAAGATTATCCAGGTCATTTTTGTCCAGAAGTAA  
 CATGAGTGTGCCAGGAGTGATGATACTCTGGATGAGGAAGACTCCTTTGTGATGAAAGCCATCATCCAT  
 GCCAATGATGACAACGTACCCGGCTGCAGCATCTCTGGGCTCCTGTCCAGCTATGACGTCAACC  
 AGCCCAACAAGCATGGGACACCTCCATTACTGATTGCCGAGGCTGTGGCAACATCCAGATGTTACAGTT  
 ACTCATAAAACGAGGCTCAAGGATTGACGTCCAGGATAAGGGAGGATCCAATGCCATCTACTGGGCTCT  
 CGGCATGGCCATGTGGATACTTTGAAATTTCTCAATGAGAACAATGCCCTTTGGATGTTCAAGACAAGT  
 CTGGAGAGACAGCTCTTACGTGGCAGCCCGCTATGGCCATGCAGATGTGGTTCAACTACTGTGCAGTTT  
 TGGCTCTAATCCTGATTTCCAGGACAAGGAAGAGGAAACCCCTGCACTGTGCTGCCTGGCATGGCTAT  
 TACTCCGTGGCTAAAGCTCTTTGTGAAGTTGGCTGCAACGTGAATATCAAGAATCGGGAGGGAGAGACCC  
 CATTGCTGACGGCTCTGCCAGGGCTATCATGACATTGTGGAGTGTCTGGCTGAACATGGAGCTGACTT  
 GAATGCTTCTGACAAGGATGGACACATCGCTCTCATCTTGTGTGAGGGTGTGCAGATGGAAGTCATC  
 AAGACCCTCCTTGCCATGGGCTCTTTGTGGATTTCCAGGACAGGCATGGCAACACACCCTGCAGTGG  
 CCTGCAAAGATGGAAGCGCACCTATCGTGGTGGCCCTCTGTGAAGCCAGCTGCAATCTGGACATCTCAA  
 AAGTATGGTCCGACTCCTCTCCACCTGCAGCCAACAACGGGATCCTAGATGTGGTCCGCTACCTCTGT  
 TTGATGGGCGCAATGTGGAGGCTTAACCTCGGATGGAAGACGGCCGAGGACCTCGCCAAAGCAGAAC  
 AGCAGGAGCATGTGGCAGGGCTCCTGGCAAGACTGCGGAAGGACACACACCGAGGACTCTTCATCCAGCA  
 ACTCCGACCCACCCAGAATCTCCAGCCAGAATCAAGCTCAAACCTGTTGGCCATTCGGGATCAGGGAAA  
 TCCACCCTGGTGAATCTCTCAAGTGTGGGCTGTTAAGGAGTTTCTTCAGAAGGCCCGGCCAGACTAT  
 CCTCTACCAACTCACCCGCTTCCACCCTGCTGCTAAGCCAACAGTCTCAGTGAGCATTAA  
 CAACCTGTACCCGCTGTGAGAACGTGAGCGTAAGGAGCCGAGCATGATGTTTCGAGCCGGGCTCACC  
 AAAGGGATGCTGGAAGTGTTCGTGGCTCCGTCTACCACCTCCACTGCTGACTGATGACCAGTCCACCA  
 AAGCCATCGACATCCAGAATGCTTATTTGAACGGAGTTGGTGATTTTCAGTGTGTGGGAGTTCTCTGAAA  
 CCCTGTGTAATCTGTTGCTATGACTACTTTGCTGCCAACGACCCACGTCATCCACATCATCGTTTTTC  
 AGTCTCGAAGAACCCTATGAGATCCAGCTGAACCAAGTATTTTCTGGCTCAGTTTCTGAAGTCTCTGG  
 TCCAGTTGAAGAACCATAGCATTGGAGGCAAGCTGAAGAACCCTCTCCGAGTTGCTCTGGTGGCAAC  
 ACATGCTGACATCATGAACATCCCTCGGCTGCTGGAGGCGAGTTTGGATATGAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211125 representing BC060161  
 Red=Cloning site Green=Tags(s)


MTVFRQENVDDYYDTGEELGSGQFAVVKKCREKSTGLQYAAKFIKKRRTKSSRRGVSREDIEREVSILKE  
 IRHPNVI TLHEVYENKTDVILILELVAGGELDFLAEKESL TEEEA TEFLKQILSGVYYLHSLQIAHFDL  
 KPENIMLLDRNVPKPRIKIIDFGLA HKIDFGNEFKNIFGTPEFVAPEIVNYEPLGLEADMWSIGVITYIL  
 LSGASPFLGDTKQETLANVSAVNYDFEEFFRNTSTLAKDFIRRLLVKDPKKRMTIQDSLQHPWIKPKDT  
 QQALSRKASAVNMEKFKKF AARKKWKQSVRLISLCQRLSRSFLSRSNMSVARSDDTLDEEDSFVMKAIH  
 AINDDNVPLQLHLLGSLSSYDVNQPNKHGTPPLLIAAGCGNIQMLQLLIKRGSRIDVQDKGGSNAIYWAS  
 RHGHVDTLKFLNENKCPLDVQDKSGETALHVAARYGHADVQQLCSFGSNPDFQDKEEETPLHCAAWHGY  
 YSAKALCEVGCNVNIKNREGETPLL TASARGYHDIVECLAHEGADLNASDKDGHIALHLAVRRCQMEVI  
 KTL LGHGSFVDFQDRHGNTPLHVACKDGSAPIVVALCEASCNLDISNKYGRTPHLAANNGILDVVRVLC  
 LMGANVEALTSDGKTAEDLAKAEQHEHVAGLLARLRK DTHRGLFIQQLRPTQNLQPRIK LKLFHGSGSGK  
 STLVESLKCGLLR SFFRRRRPRLSSTNSTRFPSP LAAKPTVSVSINNL YPGCENVSRSRSM MFEPGLT  
 KGMLEVFVAPSHHLHCSTDDQSTKAIDIQNAYLNGV GDFSVWEFSGNPVVFCCYDYFAANDPTSIIHIVF  
 SLEEPIEIQLNQVIFWLSFLKSLVPVEEPIAFGGKLNPLRVVLVATHADIMNIPRPAGGEFGYD

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



**Plasmid Map:**


**ACCN:** BC060161

**ORF Size:** 2717 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [BC060161](#), [AAH60161](#)

**RefSeq Size:** 5056 bp

**RefSeq ORF:** 2717 bp

**Locus ID:** 69635

**Cytogenetics:** 13 32.53 cM

**Gene Summary:**

Calcium/calmodulin-dependent serine/threonine kinase involved in multiple cellular signaling pathways that trigger cell survival, apoptosis, and autophagy. Regulates both type I apoptotic and type II autophagic cell deaths signal, depending on the cellular setting. The former is caspase-dependent, while the latter is caspase-independent and is characterized by the accumulation of autophagic vesicles. Phosphorylates PIN1 resulting in inhibition of its catalytic activity, nuclear localization, and cellular function. Phosphorylates TPM1, enhancing stress fiber formation in endothelial cells. Phosphorylates STX1A and significantly decreases its binding to STXBP1. Phosphorylates PRKD1 and regulates JNK signaling by binding and activating PRKD1 under oxidative stress. Phosphorylates BECN1, reducing its interaction with BCL2 and BCL2L1 and promoting the induction of autophagy. Phosphorylates TSC2, disrupting the TSC1-TSC2 complex and stimulating mTORC1 activity in a growth factor-dependent pathway. Phosphorylates RPS6, MYL9 and DAPK3 (By similarity). Acts as a signaling amplifier of NMDA receptors at extrasynaptic sites for mediating brain damage in stroke. Cerebral ischemia recruits DAPK1 into the NMDA receptor complex and it phosphorylates GRINB at Ser-1303 inducing injurious Ca(2+) influx through NMDA receptor channels, resulting in an irreversible neuronal death. Required together with DAPK3 for phosphorylation of RPL13A upon interferon-gamma activation which is causing RPL13A involvement in transcript-selective translation inhibition.[UniProtKB/Swiss-Prot Function]