

Product datasheet for **MG211151**

Eif3s8 (BC025032) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Eif3s8 (BC025032) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Eif3s8
Synonyms:	NipilA3, NIPIL(A3), 110kDa, MGC36637
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG211151 representing BC025032
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTCGCGATTCTCACACCGGCTCGGACAGTGAGTCGGAGTCGTCCCTGTCCGGGGAGGAGCTCGTCA
 CCAAACCGGTCTCCGGAACTACGGCAAACAGCCTTTGTTACTGAGCGAGGATGAGGAGGATACAAAGAG
 AGTTGTCCGAAGCGCAAGGACAAGAGGTTTGTAGGAGCTGACCAACCTCATAACGAACATCCGTAATGCC
 ATGAAGATTGAGATGTACCAAGTGTCTAGAAGAGTTTGTAGCTCCTGGGAAAGGCTATGGGAAAGCCA
 AGAGTATTGTGGATAAAGGAAGGTGTCCCGGATTCTACATCCGAATACTGACTGACCTGGAGGACTATCT
 TAATGAGCTTTGGGAAGATAAAGAAGGAAAGAAGAAGTGAATAAAAAACAACGCCAAGGCTCTGAGTACC
 TTGCGCCAGAAGATCCGGAAATACAACCGAGATTTGAGTACACATACCAACTACAAGCAGAACCCTG
 AGCAGTCTGCAGATGAAGATGCAGAAAAGAATGAGGAAGACTCCGAAGGCTCTTCAGATGAGGATGAGGA
 CGAGGACGGAGTCGGTAATACGACTTTCTGAAGAAGAAGCAAGAATCTTCTGGAGAGAGTCGGAAGTTC
 CACAAAAAGATGGAAGATGATGATGAGGACTCTGAAGATTCTGAAGATGAAGAATGGGACACCAGCTCCA
 CATCTTCTGATTGACTCTGAGGAAGAAGAAGGAAAAACAACCTGTTCTGGCCTCAAAGTTCCTTAAAAA
 GGCACCCACTACAGAGGAGGACAAAAAGCAGCTGAAAAGAAACGGGAAGACAAAGCCAAGAAGAAGCAC
 GATAGGAAGTCTAAGCGCCTGGATGAGGAAGAGGAGGACAATGAGGGCGGGGAGTGGGAACGGGTCCGAG
 GTGGCGTACCCTTGTAAAGGAAAGCCAAAAATGTTTGCACAGGAACTGAGATCACTCATGCTGTTGT
 CATCAAGAACTGAATGAGATTCTACAGTCTAGAGGCAAGAAGGGAACAGACCGTCCACTCAGATTGAA
 TTGCTCCAGCTGCTGGTTCAGATTGCTGCTGAAAAACAACCTGGGGTGGGCGTCATTGTCAAGATCAAGT
 TCAATATCATTGCCTCTCTACGATTACAACCTAACCTGACCACGTACATGAAGCCAGAGATGTGGCA
 GATGTGCCTAGACTGCATCAATGAAGTACGTTGATACGTTGGTTGCACATTCCAACATCTTTGTTGGAGAG
 AACATTTTGAAGAGAGTGAGAAGTACACAACCTTTGATCAGCCACTGCGTGTACGAGGCTGCATCTTAA
 CTTTGGTGGAGCGAATGGATGAAGAATTTACAAAATAATGCAAATACTGATCCTCACTCCCAAGAGTA
 TGTGGAGCACCTGAAGGATGAGGCACAAGTGTGTGCCATCATTGAGCGAGTGCAGCGCTACCTGGAGGAG
 AAAGGTACCCTGAGGAGATCTGCCAGATCTACTTAAGGCGCATCCTGCACACGTACTACAAGTTTGTACT
 ACAAGGCCATCAGCGGCAGCTTACTCCTCCTGAAGGATCCTCAAAGTCTGAGCAAGACCAGGCAGAAAA
 TGAGGGTGAAGACTCAGCTGTGTAATGGAAAGACTGTGCAAGTACATCTATGCCAAGGACCGTACAGAC
 CGGATCCGTACCTGTGCCATCCTCTGCCATATCTACCATCATGCGCTCCACTCCCCTGGTATCAGGCC
 GTGACCTCATGCTCATGAGCCACCTACAGGACAACATTACGACGACAGACCCGCCGGTGCAGATCCTGTA
 TAACCGTACTATGGTGAACCTGGGCATCTGTGCTTTCCGCCAAGGCTGACAAAGGATGCACACAATGCA
 CTTCTGGATATTCAGTCAAGTGGTCTGTCGAAGGAGCTTCTAGGTGAGGCTGTGCTGCTGCGCAGCCTGC
 AGGAGCGAAATCAGGAACAGGAAAGGTAGAGCGACGCCGGCAGGTGCCCTTTCACCTGCACATCAACCT
 GGAGCTGCTGGAGTGTGTCTATCTGGTGTGAGTATGCTCCTGGAGATCCCCTACATGGCTGCCATGAG
 AGCGATGCCCGCCGACGCATGATCAGCAAGCAGTTCACCACCAACTGCGGGTGGCGAGCGGCAGCCCC
 TGCTAGGTCTCCCGAGTCAATGAGGGAGCATGTGGTCTGCTGCCCAAGGCCATGAAGATGGGCGACTG
 GAAGACCTGCCACAGTTTCATCATTAAATGAAAAGATGAATGGGAAAGTGTGGACCTTTTCCCTGAGGCT
 GACAAAGTTCGCACCATGCTAGTTTCGGAAGATCCAGGAAGAGTCTCTGAGGACCTACCTTTTTACCTACA
 GCAAGTGTCTATGACTCAATCAGTATGGAGACACTATCAGATATGTTTGTAGCTGGATCTACCCACTGTTCA
 CTCATCATCAGCAAGATGATCATTAAACGAAGAATTGATGGCTTCCCTGGACCAGCCGACACAGACTGTG
 GTGATGCACCGTACTGAGCCACTGCCAGCAGAACTGGCTCTGCAGCTGGCTGAGAAGCTTGGCAGCC
 TAGTGGAGAATAATGAACGGGTGTTTGACCATAAGCAGGGAACCTATGGTGGCTATTTCCGAGACCAAAA
 GGATGGCTACCGAAAAATCTAGGCTATATGCGCCGTGGTGGCTACCGCCAGCAGAGTCTCAGACAGCC
 TAC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211151 representing BC025032
 Red=Cloning site Green=Tags(s)

MSRFFFTGSDSESESSLGSEELVTKPVSGNYGKQPLLLSEDEEDTKRVVRSKDKRFEELTNLIRTRNA
 MKIRDVTKCLEEFELLGKAYGKAKSIVDKEGVPRFYIRILTDLEDYLNELWEDKEGKKMKNNAKALST
 LRQKIRKYNRDFESHITNYKQNPESQSADEDAEKNEEDSEGSSDEDEDEDGVTNTFLKQKQESSGESRKF
 HKKMEDDDESDSEDEEWDTSSTSSDSEEEEEGKQTVLASKFLKAPTTTEEDKAAEKKREDKAKKKH
 DRKSKRLDEEEEDNEGGEWERVRRGGVPLVKEKPKMFAKGTETITHAVVIKLLNEILQVRGKKGTDRATQIE
 LLQLLVQIAAENNLGVGVIVKIKFNIIASLYDYNPNLATYMKPEMWMCLDCINELMDTLVAHSNIFVGE
 NILEESENLHNFQPLRVRCILTLVERMDEEFTKIMQNTDPHSQEYVEHLKDEAQVCAIIRVQRYLEE
 KGTTEEICQIYLRRILHTYYKFDYKAHQRLTPPEGSSKSEQDQAENEGEDSAVLMERLCKYIYAKDRTD
 RIRTCAILCHYHHLHSRWYQARDLMLSHLQDNIQHADPPVQILYNRTMVQLGICAFRQGLTKDAHNA
 LLDIQSSGRAKELLGQGLLLRSLQERNQEKEKVERRRQVPFHLHINLELLECVYLVSAMLLEIPYMAAHE
 SDARRRMI SKQFHHQLRVGERQPLLGPPE SMREHVVAASKAMKMGDWKTCHSFINEKMNGKVDLFP
 EADKVRTMLVRKIQEESLRYLFTYSSVYDSISMETLSDMFELDLPTVHSIISKMIINEELMASLDQPTQTV
 VMHRTEPTAQQLALQLAEKLGSLVENNERVFDHKQGTGGYFRDQKDGVRKNLGYMRRGGYRQQSQTA
 Y

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: BC025032

ORF Size:	2735 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC025032 , AAH25032
RefSeq Size:	2923 bp
RefSeq ORF:	2735 bp
Locus ID:	56347
Cytogenetics:	7 F3
Gene Summary:	Component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required for several steps in the initiation of protein synthesis. The eIF-3 complex associates with the 40S ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-tRNA ⁱ and eIF-5 to form the 43S pre-initiation complex (43S PIC). The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation. The eIF-3 complex specifically targets and initiates translation of a subset of mRNAs involved in cell proliferation, including cell cycling, differentiation and apoptosis, and uses different modes of RNA stem-loop binding to exert either translational activation or repression.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG211151