

## Product datasheet for **MG211210**

### **Epha4 (BC004782) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Epha4 (BC004782) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Epha4
Synonyms:	Sek1, Cek8, Hek8, Tyro1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG211210 representing BC004782  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGATGAGAAAAATACACCGATCCGAACCTACCAGGTGTGCAACGTGATGGAAGCCAGCCAGAACAAC  
 GGCTGCGAACTGACTGGATCACCCGCGAAGGGCGCAGAGGGTGTACATTGAAATTAAGTCACTCTAAG  
 GGACTGCAACAGTCTTCCGGGCGTCATGGGACTTGCAAGGAGACGTTTAACTCTACTATTATGAGTCG  
 GACAACGACAAGGAGCGCTTCATCAGAGAGAGCCAGTTTGGCAAGATCGACACCATCGCAGCTGATGAGA  
 GCTTCACGAGGTGGACATTGGTGACCGAATCATGAACTCAACACTGAGATCCGGGATGTAGGGCCACT  
 GAGCAAGAAAGGGTTTTACCTGGCTTTTCAGGATGTGGGTGCTTGCATCGCCCTGGTGTCTGTCCGTGTG  
 TTCTACAAGAAGTGTCCACTCACCGTTCGAAATCTAGCCAGTTTCTGATACCATTACTGGGGCTGATA  
 CCTCTTCCCTGGTGAAGTTCGAGGCTCCTGTGTCAACAACCTCAGAAGAGAAGGATGTGCCAAAAATGTA  
 CTGTGGGGCAGATGGTGAATGGCTGGTACCCATTGGCAACTGCCTATGCAACGCTGGGCACGAGGAGCAG  
 AATGGTGAATGCCAAGCTTGCAAAATGGATATTACAAAGCTCTTCCACGGATGCCTCCTGTGCCAAGT  
 GTCCACCGCACAGCTACTCTGTCTGGAAGGAGCCACGTCTGCACCTGTGACCGAGGCTTTTTTCAGAGC  
 TGACAACGATGCAGCCTCCATGCCTGCACCCGCCACCATCTGCTCCCTCAACTTGATTTCTAATGTC  
 AACGAGACATCGGTGAATTGGAATGGAGCAGTCTCAGAACACAGGTGGCCGTGAGGACATTTCTTACA  
 ACGTGGTCTGCAAGAAATGTGGAGCTGGTATCCCAGCAAATGCCGGCCCTGTGGAAGTGGAGTCCACTA  
 CACACCACAGCAGAACGGACTCAAGACGACCAGAGTCTCCATCACTGACCTCCTAGCACACCAATTAC  
 ACGTTTGAGATCTGGGCAGTGAATGAAGTGTCTAAGTATAACCTAGCCCGGACCAGTCCGTGTCTGTCA  
 CAGTGAACAACCAACCAAGCAGCACCATCCATTGCTTTGGTCCAGGCTAAAGAAGTTACAAGATATAG  
 CGTAGCTCTGGCTTGGCTGGAACCAAGATCGACCAAAATGGAGTCATCTTAGAATATGAAGTCAAATATTAT  
 GAAAAGGATCAGAATGAACGCAGCTATCGCATAGTCCGGACAGCTGCCAGGAACACAGATATCAAAGGCC  
 TGAACCTCTTACTTCTATGTTTTCCACGTGCGAGCCAGGACCCTGCTGGCTACGGAGACTTCAGCGA  
 GCCCTGGAAGTCACTACTAATACAGTGCCTTCCCGCATCATTGGCGATGGAGCCAACTCCACTGTCCTG  
 CTGGTCTCTGTCTCTGGCAGTGTGGTCTCGTGGTCATTCTCATTGCAGCTTTTGTGATCAGCCGAAGAC  
 GGAGTAAGTACAGCAAAGCGAAACAAGAAGCAGATGAAGAGAAACATTTGAATCAAGGTGTTAGAATTA  
 TGTGGATCCCTTTACATACGAAGACCCCAACCAGGCAGTTCGAGAATTTGCCAAAGAAATCGATGCATCC  
 TGCATTAATGAAAAGGTCATAGGAGTTGGTGAATTTGGAGAGGTCTGCAGTGGGCGTCTCAAAGTGC  
 CCGGCAAGAGAGAGATCTGTGTGCCATCAAGACTCTGAAAGCTGGCTATACTGACAAGCAGAGGAGAGA  
 CTTCTGAGTGAAGCCAGCATCATGGGACAGTTTGACCACCCAAACATAATCCACCTGGAAGGCGTTGTC  
 ACCAAATGTAACCGGTAATGATCATAACGGAGTACATGGAGAACGGCTCCTTGGATGCTTTCCTCAGGA  
 AGAATGATGGCCGCTTTACAGTCATTAGCTGGTGGGCATGCTCCGGGCGATTGGCTCGGGGATGAAGTA  
 CTTATCTGATATGAGCTATGTGCATCGAGACCTGGCTGCCAGGAACATCCTGGTAAACAGCAACTGGTC  
 TGCAAGGTGTCTGACTTTGGCATGTCCAGGGTCTGGAGGATGACCCCGAAGCAGCCTACACTACCAGGG  
 GTGGCAAGATTCCTATCCGGTGGACTGCCCAGAAGCAATCGCGTATCGTAAATTTACCTCAGCCAGTGA  
 TGCTGGAGCTACGGAATCGTTATGTGGGAAGTGTATGCATATGGAGAGAGACCGTACTGGGATATGTCC  
 AATCAAGATGTGATCAAAGCCATCGAGGAAGGGTACCGGCTACCCCTCCAATGGACTGCCCATTTGCC  
 TCCATCAGTTAATGCTGGACTGCTGGCAGAAAGAGAGAAGCGACAGGCCTAAATTTGGGCAGATCGTTAA  
 CATGCTGGACAACTCATCCGCAATCCCAACAGCCTGAAGAGGACAGGGTGGAGAGTTCAGACCAAAC  
 ACAGCCTTGTAGATCCCAGCTCCCTGAATTTCTGCTGTAGTATCAGTGGGCGACTGGCTGCAGGCCA  
 TCAAAATGGACCGGTATAAGGACAACCTCACGGCCCGGGTACACGACACTAGAAGCCGTGGTTACAT  
 GAGCCAGGACGACCTGGCGAGAATTGGCATCACCGCCATCACGCACCAGAATAAGATTTGAGCAGCGTC  
 CAGGCGATGCCAACCCAGATGCAGCAGATGCATGGCAGGATGGTTCCTGTC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG211210 representing BC004782  
 Red=Cloning site Green=Tags(s)


MDEKNTPIRTYQVCNVMEASQNNWLRTDWITREGAQRVYIEIKFTLRDCNSLPGVMGTCKETFNLYYVES  
 DNDKERFIRESSQFGKIDTIAADESFTQVDIGDRIMKLNTEIRDVGPLSKKGFYLAQFDVGACIALVSVRV  
 FYKKCPLTVRNLAQFPDITGADTSSLVEVRGSCVNNSEEKDVPKMYCGADGEWLVPIGNCLCNAGHEEQ  
 NGECQACKIGYKALSTDASCAKCPHYSVWEGATSCTCDRGFFRADNDAASMPCTRPPSAPLNLI SNV  
 NETSVNLEWSSPQNTGGRQDISYNVVKKCGAGDPSKCRPCGSGVHYTPQQNGLKTRVSI TDLLAHTNY  
 TFEIWA VNEVSKYNPSPDQSVSVTVTTNQAAPSSIALVQAKEVTRYSVALAWLEPDRPNGVILEYEVKYY  
 EKDQNERSYRIVRTAARNTDIKGLNPLTSYVFHVRARTAAGYGDFSEPLEVTTNTVPSRIIGDGANSTVL  
 LVSVSGSVVLVILIAAFVISRRRSKYSKAKQEADEEKHLNQGVRTYVDPFTYEDPNQAVREFAKEIDAS  
 CIKIEKIVIGVGEFGEVCSGRLKVPKREICVAIKTLKAGYTDKQRRDFLSEASIMGQFDHPNIIHLEGVV  
 TKCKPVMIIITEYMENGLDAFLRKNDRFTVIQLVGMRLGIGSGMKYLSMSYVHRDLAARNILVNSNLV  
 CKVSDFGMSRVLEDDPEAAAYTRGGKIPIRWTAPEAIAYRKFTSASDVWSYGIVMWEVMSYGERPYWMS  
 NQDVIKAIIEEGYRLPPPMDCPIALHQLMLDCWQKERSDRPKFGQIVNMLDKLIRNPNSLKRTGSESSRPN  
 TALLDPSSPEFSAVVSVGDWLQAIKMDRYKDNFTAAGYTTLEAVVHMSQDDLARIGITAIHQNKILSSV  
 QAMRTQMOMHGRMVPV

TRTRPLE - GFP Tag - V


**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



## Plasmid Map:



ACCN: BC004782

ORF Size: 2781 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC004782.1](#)  
RefSeq Size: 3544 bp  
RefSeq ORF: 2783 bp  
Locus ID: 13838  
Cytogenetics: 1 39.55 cM

**Gene Summary:** Receptor tyrosine kinase which binds membrane-bound ephrin family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Highly promiscuous, it has the unique property among Eph receptors to bind and to be physiologically activated by both GPI-anchored ephrin-A and transmembrane ephrin-B ligands including EFNA1 and EFNB3. Upon activation by ephrin ligands, modulates cell morphology and integrin-dependent cell adhesion through regulation of the Rac, Rap and Rho GTPases activity. Plays an important role in the development of the nervous system controlling different steps of axonal guidance including the establishment of the corticospinal projections. May also control the segregation of motor and sensory axons during neuromuscular circuit development. In addition to its role in axonal guidance plays a role in synaptic plasticity. Activated by EFNA1 phosphorylates CDK5 at 'Tyr-15' which in turn phosphorylates NGEF regulating RHOA and dendritic spine morphogenesis. In the nervous system, plays also a role in repair after injury preventing axonal regeneration and in angiogenesis playing a role in central nervous system vascular formation. Additionally, its promiscuity makes it available to participate in a variety of cell-cell signaling regulating for instance the development of the thymic epithelium.[UniProtKB/Swiss-Prot Function]